

The following Safety Datasheet is provided by Barrettine

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit: ArmourFlex Enriched Floor Varnish



ARMOURFLEX ENRICHED CLEAR WOOD FLOOR LACQUER - GLOSS - SATIN - MATT

> Page: 1 Compilation date: 05/11/2019 Revision No: 1

Revision No.				
Section 1: Identification of th	e substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name:	ARMOURFLEX ENRICHED CLEAR WOOD FLOOR LACQUER - GLOSS - SATIN -			
	MATT			
Product code:	AFENGEN			
1.2. Relevant identified use	es of the substance or mixture and uses advised against			
Use of substance / mixture:	Water based wood floor lacquer. Professional Use. Consumer Use. Unique			
	Formula Identifier (UFI) in accordance with Commision Regulation (EU) No			
	2017/542. UFI: 3R20-20RC-E00E-KMC7			
1.3. Details of the supplier	of the safety data sheet			
	· · · · · · · · · · · · · · · · · · ·			
Company name:	J.V. Barrett & Co Ltd			
	St Ivel Way			
	Warmley			
	Bristol			
	BS30 8TY			
	United Kingdom			
Tel:	01179600060			
Fax:	01179352437			
Email:	sales@barrettine.co.uk			
1.4. Emergency telephone	number			
Emergency tel:	+44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm			
	Fri.) +44 (0) 1270 502891 (Out of hours emergency number)			
Section 2: Hazards identifica				
2.1. Classification of the se	ubstance or mixture			
Classification under CLP:	This product has no classification under CLP.			

2.2. Label elements

Label elements:

Precautionary statements: P102: Keep out of reach of children.

ARMOURFLEX ENRICHED CLEAR WOOD FLOOR LACQUER - GLOSS - SATIN - MATT

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

(2-METHOXYMETHYLETHOXY)PROPANOL - REACH registered number(s): 01-2119450011-60-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community	-	1-10%
		workplace exposure limit.		

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

ARMOURFLEX ENRICHED CLEAR WOOD FLOOR LACQUER - GLOSS - SATIN - MATT

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

Respirable dust State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 50 ppm; 308 mg/m3

DNEL/PNEC Values

Hazardous ingredients:

(2-METHOXYMETHYLETHOXY)PROPANOL

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (repeated dose)	37.2 mg/m3	General Population	Systemic
DNEL	Inhalation (repeated dose)	308mg/m3	Workers	Systemic
DNEL	Dermal (repeated dose)	283 mg/kg bw/day	Workers	Systemic
DNEL	Dermal (repeated dose)	121 mgkg bw/day	General Population	Systemic

ARMOURFLEX ENRICHED CLEAR WOOD FLOOR LACQUER - GLOSS - SATIN - MATT

Page: 4

DNEL	Oral (repeated dose)	36 mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	19 mg/l	-	-
PNEC	Marine water	1.9 mg/l	-	-
PNEC	Microorganisms in sewage treatment	4.168 g/l	-	-
PNEC	Fresh water sediments	70.2 mg/kg	-	-
PNEC	Marine sediments	7.02 mg/l	-	-
PNEC	Soil (agricultural)	2.74 mg/kg	-	-

8.2. Exposure controls

Hand protection:Protective gloves.Eye protection:Safety glasses.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Cream		
Odour:	Barely perceptible odour		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	No data available.		
Viscosity:	No data available.		
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	No data available.
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

ARMOURFLEX ENRICHED CLEAR WOOD FLOOR LACQUER - GLOSS - SATIN - MATT

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

(2-METHOXYMETHYLETHOXY)PROPANOL

DERMAL	RAT	4H LC50	>5800	mg/m3
DERMAL	RAT	NOAEL	2850	mg/kg
ORAL	RAT	NOAEL	1000	mg/kg
ORAL	RAT	NOEL	200	mg/kg
VAPOURS	RAT	7H LC50	275	ppmV
VAPOURS	RAT	NOAEL	200	ppmV

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

(2-METHOXYMETHYLETHOXY)PROPANOL

Daphnia magna	48H LC50	1919	mg/l
FISH	96H LC50	>1000	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H EC50	>969	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

ARMOURFLEX ENRICHED CLEAR WOOD FLOOR LACQUER - GLOSS - SATIN - MATT

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 * indicates text in the SDS which has changed since the last revision.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.