

WOOD FINISHES DIRECT

The following Safety Datasheet is provided by **BEDEC**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:
Bedec Barn Paint

SAFETY DATA SHEET

DATE OF ISSUE: 13th December 2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND COMPANY/UNDERTAKING

1.1 Product identifier
Product name: BARN PAINT
Product code: BEDE2 - AK/AV/AN

1.2 Relevant identified uses of the substance or mixture and uses advised against
Product use: Consumer applications, Professional applications.
Use of the substance/mixture: Coating

1.3 Details of the supplier of the safety data sheet
BEDEC PRODUCTS LTD.
Units 1 and 2 Poplars Farm, Aythorpe Roding, Dunmow, Essex UK CM6 1RY
TEL: +44 (0) 1279 876 657
FAX: +44 (0) 1279 876 008
e-mail address of person responsible for this SDS: safetydatasheet@bedec.co.uk

1.4 Emergency telephone number
+44 (0) 1279 876 657

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture
Product definition: Mixture
Classification according to UK CLP/GHS
Not classified
Classification according to directive 1999/45/EC [DPD]
The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.
Classification: Not classified
See section 16 for the full text of the R phrases or H statements declared above.
See section 11 for more detailed information on health effects and symptoms.

2.2 Label elements
Signal word: No signal word
Hazard statements: No known significant effects or critical hazards.

Precautionary statements
General: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention: Not applicable
Response: Not applicable
Storage: Not applicable
Disposal: Dispose of contents and container in accordance with all local, regional, national and international regulations. P102, P101, P501
Supplemental label elements: Contains 1,2-benzisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheets available on request.

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packing requirements
Containers to be fitted with child-resistant fastenings: Not applicable
Tactile warning of danger: Not applicable

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to a **PBT** or a vPvB

Other hazards which do not result in classification: None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures: Mixture

Ingredient name	Identifier	%	Classification	Type
Propane-1,2-diol	REACH#: 01-2119456809-23 EC: 200-338-0 CAS:57-55-6	>1.0 - <5.0	Not classified.	[2]
1,2-benzisothiazol-3(2H)-one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.050	Acute Tox. 4, H302 Acute Tox. 2 H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	[1]
2-methylisothiazol-3(2H)-one	REACH# 01-2120764690-50 EC: 220-239-6 CAS: 2682-20-4 Index: 613-326-00-9	<0.0015	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH071 **See section 16 for the full text of the H statements declared above**	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

This mixture may contain >1% of Titanium Dioxide. The Annex VI classificationof titanium dioxide does not apply to this mixture according to Note 10.

Occupational expose limits, if available are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye contact: Remove contact lenses. Irrigate copiously with clean, fresh water for at least 10 minutes, holding lids apart. Seek medical advice.
Inhalation: Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped administer artificial respiration or oxygen by trained personnel. Give nothing by mouth. If unconscious place in the recovery position.
Skin contact: Remove contaminated clothing, wash skin thoroughly with soap and water, or use a proprietary skin cleanser. Do not use solvents or thinners. Seek medical advice if symptoms persist.
Ingestion: If accidentally swallowed, DO NOT INDUCE VOMITING. Keep at rest and obtain medical attention, show the container label.
Protection of first aiders: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed
Potential acute health effects
Eye contact: No known significant effects or critical hazards.
Inhalation: No known significant effects or critical hazards.
Skin contact: No known significant effects or critical hazards.
Ingestion: No known significant effects or critical hazards
Over exposure signs/symptoms
Eye contact: No specific data
Inhalation: No specific data
Skin contact: No specific data
Ingestion: No specific data

4.3 Indication of any immediate medical attention and special treatment needed
Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments: No specific treatment.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media
Suitable extinguishing media: Use an extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media: None known.

5.2 Special hazards arising from the substance or mixture
Hazards from the substance or mixture: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products: Decomposition products may include the following materials: carbon dioxide, carbon monoxide, metal oxide/oxides.

5.3 Advice for firefighters
Special precautions for firefighters: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire fighters: Fire fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures.
For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in section 8 on suitable and unsuitable materials. See also the information in “For non-emergency personnel”.

6.2 Environmental precautions: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water soluble. Alternatively, or if water insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste contractor.

6.4 Reference to other sections: See section 1 for emergency contact information.
See section 8 for information on appropriate personal protective equipment.
See section 13 for additional waste treatment information.

SECTION 7: HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities: Storage temperature: 5 to 25°C (41 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in un-labelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end uses(s)

See Section 1.2 for identified uses.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

Occupational exposure limits

Propane-1,2-diol	**EH40 WELs (United Kingdom (UK), 1/2020).** TWA: 10mg/m3 8 hours. Form: particulate TWA: 150ppm 8 hours. Form: total vapour and particulate TWA: 474mg/m3 8 hours. Form: total vapour and particulate

Recommended monitoring procedures: Reference should be made to appropriate monitoring standards.

Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs

Ingredient	Type	Exposure	Value	Population	Effects
propane-1,2-diol	DNEL	Long term inhalation	10mg/m3	General Population	Local
	DNEL	Long term inhalation	10mg/m3	Workers	Local
	DNEL	Long term inhalation	50mg/m3	General Population	Systemic
	DNEL	Long term inhalation	168mg/m3	Workers	Systemic
1,2-benzisothiazol-3(2H)-one	DNEL	Long term dermal	0.345mg/kg bw/day	General Population	Systemic
	DNEL	Long term dermal	0.966mg/kg bw/day	Workers	Systemic
	DNEL	Long term inhalation	1.2mg/m3	General Population	Systemic
	DNEL	Long term inhalation	6.81mg/m3	Workers	Systemic
2-methylisothiazol-3(2H)-one	DNEL	Long term inhalation	0.021mg/m3	General Population	Local
	DNEL	Long term inhalation	0.021mg/m3	Workers	Local
	DNEL	Long term oral	0.027mg/kg bw/day	General Population	Systemic
	DNEL	Long term inhalation	0.043mg/m3	General Population	Local
	DNEL	Long term inhalation	0.043mg/m3	Workers	Local
	DNEL	Long term oral	0.053mg/kg bw/day	General Population	Systemic

PNECs

Ingredient	Compartment Detail	Value	Method Detail
propane-1,2-diol	Fresh water	260mg/l	Assessment Factors
	Marine water	26mg/l	Assessment Factors
	Sewage Treatment Plant	20000mg/l	Assessment Factors
	Fresh water sediment	572mg/kg dwt	Equilibrium Partitioning
	Marine water sediment	57.2mg/kg dwt	Equilibrium Partitioning
	Soil	50mg/kg dwt	Equilibrium Partitioning

8.2 Exposure controls

Appropriate engineering controls: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection: Safety glasses with side shields.

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Gloves: nitrile rubber

Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection: Use with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN140. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the respirator. Mask type : full face mask half-face mask Filter type: organic vapour filter (Type A) particulate filter P3. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	Liquid
Colour:	Various
Odour:	Faint odour
Odour threshold:	Not available
pH:	7-10
Melting point/freezing point:	May start to solidify at the following temperature: 0°C (32°F) Based on data for water.
Initial boiling point and boiling range:	>37.78°C (>100°F)
Flash point:	Closed cup: Not applicable [Product does not sustain combustion]
Evaporation rate:	Not available
Material supports combustion:	No
Flammability (solid/gas):	Not available
Upper/lower flammability or explosive limits:	Upper 0%
Vapour density:	2.6 (Air=1) (propane-1,2-diol)
Vapour pressure @ 20°C:	water, 17.5mmHg, 2.3kPa
Relative density:	1-1.5
Solubility(ies):	Partially soluble in the following materials: cold water
Miscible with water:	Yes
Partition coefficient: n-octanol/water:	Not available
Auto ignition temperature:	propane-1,2-diol 371°C (699.8°F)
Decomposition temperature:	Not available
Viscosity:	Not available
Explosive properties:	Not available
Oxidising properties:	Not available

9.2 Other information
No additional information

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability: The product is stable

10.3 Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8

10.5 Incompatible materials: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.

10.6 Hazardous decomposition products: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Popane-1,2-diol	LD50 dermal LD50 Oral	Rabbit Rat	20800mg/kg 20g/kg	- -
1,2-benzisothiazol-3(2H)-one	LC50 Inhalation Dusts and Mists LD50 Oral	Rat Rat	0.4mg/l 1020mg/kg	4 hours -
2-methylisothiazol-3(2H)-one	LC50 Inhalation Dusts and Mists LD50 Oral	Rat	0.19mg/l 242mg/kg	4 hours -

	LD50 Oral	Rat-Male	235mg/kg	-

Conclusion/Summary: Not available on mixture

Acute toxicity estimates

Ingredient	Oral (mg/kg)	Dermal Inhalation (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (m
propane-1,2-diol	20000	2080	N/A	N/A	N/A
1,2-benzisothiazol-3(2H)-one	1020	N/A	N/A	N/A	0.4
2-methylisothiazol-3(2H)-one	235	242	N/A	N/A	0.19

Irritation/Corrosion

Conclusion/Summary: Not available
Skin: No data available on the mixture
Eyes: No data available on the mixture
Respiratory: No data available on the mixture

Sensitisation

Ingredient	Route of exposure	Species	Result
1,2-benzisothiazol-3(2H)-one	skin	Guinea pig	Sensitising

Conclusion/Summary
Skin: No data available on the mixture
Respiratory: No data available on the mixture

Mutagenicity
Conclusion/Summary: No data available on the mixture
Carcinogenicity
Conclusion/Summary: No data available on the mixture
Reproductive toxicity
Conclusion/Summary: No data available on the mixture
Teratogenicity
Conclusion/Summary: No data available on the mixture
Specific target organ toxicity (single exposure)
Not available
Specific target organ toxicity (repeated exposure)
Not available
Aspiration hazard
Not available

Information on the likely routes of exposure: Not available
Potential acute health effects
Inhalation: No known significant effects or critical hazards.
Ingestion: No known significant effects or critical hazards.
Skin contact: No known significant effects or critical hazards.
Eye contact: No known significant effects or critical hazards.
Symptoms related to the physical, chemical and toxicological characteristics
Inhalation: No specific data.
Ingestion: No specific data.
Skin contact: No specific data.
Eye contact: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: Not available

Potential delayed effects: Not available

Long term exposure

Potential immediate effects: Not available

Potential delayed effects: Not available

Potential chronic health effects Not available

Conclusion/Summary: Not available

General: No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Other information: Not available

SECTION12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
propane-1,2-diol	Acute LC50 40613mg/l Fresh Water	Fish	96 hours
1,2-benzisothiazol-3(2H)-one	Acute EC50 0.11mg/l	Algae	72 hours
	Acute EC50 2.9mg/l	Daphnia	48 hours
	Acute LC50 2.15mg/l	Fish	96 hours
	Chronic NOEC 0.0403mg/l	Algae - Trout	72 hours

Conclusion/Summary: Not available.

12.2 Persistence and degradability

Conclusion/Summary: Not available.

Ingredient	Aquatic half-life	Photolysis	Biodegradability
propane-1,2-diol	-	-	Readily
1,2-benzisothiazol-3(2H)-one	-	-	Readily

12.3 Bioaccumulative potential

Ingredient	$LogP_{ow}$	BCF	Potential
propane-1,2-diol	-1.07	-	Low
1,2-benzisothiazol-3(2H)-one	0.7	-	Low

12.4 Mobility in soil

Soil/Water partition coefficient (Koc): Not available.

Mobility: Not available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects: No known significant effects or critical hazards.

SECTION 13: DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-

recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code	Waste designation
08 01 12	Waste paint and varnish other than those mentioned in 08 01 11

Packaging

Methods of disposal: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging	European waste catalogue (EWC)	
Container	15 01 02	plastic packaging
Container	15 01 04	metallic packaging

Special precautions: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14 TRANSPORT INFORMATION

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated	Not regulated	Not regulated	Not regulated
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No	No	No	No
Marine pollutant substances	Not applicable	Not applicable	Not applicable	Not applicable

Additional information

ADR/RID: None identified.
ADN: The product is only regulated as a dangerous good when transported in tank vessels.
IMDG: None identified.
IATA: None identified.

Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK (GB) / REACH

Annex XIV – List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances: Not listed.

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable

Other EU regulations

VOC for ready–for-use mixture: IIA/d one pack performance. EU limit values: 130g/l (2010)
This product contains a maximum of 130g/l VOC.

Seveso Directive This product is not controlled under the Seveso Directive

SECTION 16: OTHER INFORMATION

¬Indicates information that has changed from previously issued version.

Abbreviations and acronyms:

ATE = Acute Toxicity Estimate
GB CLP = UK CLP(EC No.1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EUH statement = GB CLP-specific Hazard statement
N/A = Not Available
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RRN = REACH Registration Number
SGG = Segregation Group
vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified	

Full text of abbreviated H statements:

H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
EUH071	Corrosive to the respiratory tract

Full text of classifications [CLP/GHS]:

Acute Tox. 2	ACUTE TOXICITY – Category 2
Acute Tox. 3	ACUTE TOXICITY – Category 3
Acute Tox. 4	ACUTE TOXICITY – Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHORNIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
EYE Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION – Category 1
Skin Sens. 1A	SKIN SENSITISATION – Category 1A

Full text of abbreviated R phrases: Not applicable
Full text of classifications [DSD/DPD]: Not applicable

History

Date of previous issue/Date of revision: 13 December 2021
Prepared by: DH
Version: 1.004

Disclaimer

SAFETY DATA SHEET

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

ALTHOUGH EVERY EFFORT SO FAR AS REASONABLY PRACTICABLE HAS BEEN MADE TO ENSURE AT THE DATE OF ISSUE THE ACCURACY OF THE INFORMATION PROVIDED HEREIN, BEDEC PRODUCTS LTD. GIVES NO WARRANTY THAT THE INFORMATION IS ACCURATE AND SHALL IN NO CIRCUMSTANCES BE LIABLE TO ANY PERSON IF IT IS NOT. THE CUSTOMER MUST SATISFY HIMSELF AS TO THE SUITABILITY AND FITNESS FOR HIS PURPOSES OF ANY ARTICLES SUPPLIED BY BEDEC PRODUCTS LTD.