



# WOOD FINISHES DIRECT

The following Safety Datasheet is provided by **Barrettine**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:

[Barrettine Teak Oil](#)

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Name : Teak Oil  
Product code : OITESBC, OITE.25, OITE.50, OITE001, OITE005, OITE025, OITE2.5, OITE205, OITEGEN

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Intended for general public : Yes  
Main use category : Consumer use  
Use of the substance/mixture : Wood treatment

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

Barrettine  
Barrettine Works  
St Ivel Way  
Warmley  
Bristol  
BS30 8TY

Tel: +44 (0) 1179 600 060 (Office hours only 8am - 5pm Mon - Thurs / 8am-4.30pm Fri)

Fax: +44 (0) 1179 352437

Email: [sales@barrettine.co.uk](mailto:sales@barrettine.co.uk)

**1.4. Emergency telephone number**

Emergency number : +44 (0) 1270 502891 (Out of Office Hours Emergency Number)

Country	Organisation/Company	Address	Emergency number
IRELAND (REPUBLIC OF)	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964
UNITED KINGDOM	National Poisons Information Service (NHS Direct)	<a href="http://www.npis.org">http://www.npis.org</a>	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Flam. Liq. 3 H226

STOT SE 3 H336

Asp. Tox. 1 H304

Full text of H-phrases: see section 16

**Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]**

R10

R66




Full text of R-phrases: see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

**2.2. Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP)	:	  
		GHS02      GHS07      GHS08
Signal word (CLP)	:	Danger
Hazardous ingredients	:	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
Hazard statements (CLP)	:	H226 - Flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H336 - May cause drowsiness or dizziness
Precautionary statements (CLP)	:	P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P261 - Avoid breathing fume, vapours, mist, spray P271 - Use only outdoors or in a well-ventilated area P403+P233 - Store in a well-ventilated place. Keep container tightly closed P501 - Dispose of contents/container in accordance with local/regional/national/international regulations
EUH phrases	:	EUH066 - Repeated exposure may cause skin dryness or cracking

**2.3. Other hazards**

No additional information available

**SECTION 3: Composition/information on ingredients**

**3.1. Substance**

Not applicable

**3.2. Mixture**

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	(EC no) 919-857-5 (REACH-no) 01-2119463258-33	>= 80	R10 Xn; R65 R66

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	(EC no) 919-857-5 (REACH-no) 01-2119463258-33	>= 80	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of R- and H-phrases: see section 16

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

First-aid measures general	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	:	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	:	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	:	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/injuries after inhalation	:	May cause drowsiness or dizziness.
Symptoms/injuries after ingestion	:	May be fatal if swallowed and enters airways.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

**5.2. Special hazards arising from the substance or mixture**

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

**5.3. Advice for firefighters**

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

**6.1.1. For non-emergency personnel**

Emergency procedures : Evacuate unnecessary personnel.

**6.1.2. For emergency responders**

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing fume, vapours.

Emergency procedures : Ventilate area.

**6.2. Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if substance enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

**6.4. Reference to other sections**

See Heading 8. Exposure controls and personal protection.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Avoid breathing fume, Vapours.

**7.2. Conditions for safe storage, including any incompatibilities**

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof Flame proof, lighting, electrical equipment and ventilation equipment.

Storage conditions : Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat and ignition sources.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

**7.3. Specific end use(s)**

No additional information available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

No additional information available

**8.2. Exposure controls**

Appropriate engineering controls	: Provide adequate general and local exhaust ventilation.
Personal protective equipment	: Protective goggles. Gloves.
Hand protection	: Wear protective gloves
Eye protection	: Chemical goggles or safety glasses
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended



Other information : Do not eat, drink or smoke during use.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state	: Liquid
Appearance	: Light Brown liquid.
Colour	: Light Brown.
Odour	: Hydrocarbon.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 150 - 200 °C
Flash point	: 44 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.77 @ 15°C
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 14 mm <sup>2</sup> /s (estimated value)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

**9.2. Other information**

No additional information available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No additional information available

**10.2. Chemical stability**

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

**10.3. Possibility of hazardous reactions**

Not established.

**10.4. Conditions to avoid**

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

**10.5. Incompatible materials**

Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

Acute toxicity : Not classified

**Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics**

LD50 oral rat	> 15000 mg/kg
LD50 dermal rabbit	> 3160 mg/kg

Skin corrosion/irritation : Not classified  
Repeated exposure may cause skin dryness or cracking

Serious eye damage/irritation : Not classified  
Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified  
Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified  
Based on available data, the classification criteria are not met

Carcinogenicity : Not classified  
Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified  
Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure) : Not classified  
Based on available data, the classification criteria are not met

Aspiration hazard : May be fatal if swallowed and enters airways.

**Teak Oil**

Viscosity, kinematic	14 mm <sup>2</sup> /s (estimated value)
----------------------	---

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

**12.1. Toxicity**

No additional information available

**12.2. Persistence and degradability**

**Teak Oil**

Persistence and degradability	Not established.
-------------------------------	------------------

**12.3. Bioaccumulative potential**

**Teak Oil**

Bioaccumulative potential	Not established.
---------------------------	------------------

**12.4. Mobility in soil**

No additional information available

**12.5. Results of PBT and vPvB assessment**

No additional information available

**12.6. Other adverse effects**

Additional information : Avoid release to the environment

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed waste centre in accordance with local/regional/national/international regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

European List of Waste (LoW) code : 13 08 00 - oil wastes not otherwise specified

H code : H3-B - 'Flammable': liquid substances and preparations having a flash point equal to or greater than 21 °C and less than or equal to 55 °C.

**SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

**14.1. UN number**

UN-No. (ADR) : 1263

UN-No. (IMDG) : 1263

UN-No.(IATA) : 1263

UN-No.(ADN) : 1263

UN-No. (RID) : 1263

**14.2. UN proper shipping name**

Proper Shipping Name (ADR) : PAINT RELATED MATERIAL

Proper Shipping Name (IMDG) : PAINT RELATED MATERIAL

Proper Shipping Name (IATA) : Paint related material

Proper Shipping Name (ADN) : PAINT RELATED MATERIAL

Proper Shipping Name (RID) : PAINT RELATED MATERIAL

Transport document description (ADR) : UN 1263 PAINT RELATED MATERIAL (CONTAINS ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics), 3, III, (D/E)

Transport document description (IMDG) : UN 1263 PAINT RELATED MATERIAL, 3, III

**14.3. Transport hazard class(es)****ADR**

Transport hazard class(es) (ADR) : 3

Danger labels (ADR) : 3

**IMDG**

Transport hazard class(es) (IMDG) : 3

Danger labels (IMDG) : 3



**IATA**

Transport hazard class(es) (IATA) : 3  
Hazard labels (IATA) : 3

**ADN**

Transport hazard class(es) (ADN) : 3  
Danger labels (ADN) : 3

**RID**

Transport hazard class(es) (RID) : 3  
Danger labels (RID) : 3

**14.4. Packing group**

Packing group (ADR) : III  
Packing group (IMDG) : III  
Packing group (IATA) : III  
Packing group (ADN) : III  
Packing group (RID) : III

**14.5. Environmental hazards**

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

**14.6. Special precautions for user****14.6.1. Overland transport**

Classification code (ADR) : F1  
Special provisions (ADR) : 163, 640E, 650  
Limited quantities (ADR) : 5l  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T2  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
Tank code (ADR) : LGBF



Vehicle for tank carriage : FL  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Operation (ADR) : S2  
Hazard identification number (Kemler No.) : 30

Orange plates :



Tunnel restriction code (ADR) : D/E  
EAC code : •3YE

#### 14.6.2. Transport by sea

Special provisions (IMDG) : 163, 223, 955  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T2  
Tank special provisions (IMDG) : TP1, TP29  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-E  
Stowage category (IMDG) : A

#### 14.6.3. Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y344  
PCA limited quantity max net quantity (IATA) : 10L  
PCA packing instructions (IATA) : 355  
PCA max net quantity (IATA) : 60L  
CAO packing instructions (IATA) : 366  
CAO max net quantity (IATA) : 220L  
Special provisions (IATA) : A3, A72  
ERG code (IATA) : 3L

#### 14.6.4. Inland waterway transport

Classification code (ADN) : F1  
Special provisions (ADN) : 163, 64E, 65  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01  
Number of blue cones/lights (ADN) : 0  
Carriage prohibited (ADN) : No  
Not subject to ADN : No

### 14.6.5. Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 163, 640E, 650
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T2
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30
Carriage prohibited (RID)	: No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Teak Oil - Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
3.a. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Teak Oil - Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Teak Oil - Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Teak Oil - Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK)	: 3 - severe hazard to waters
WGK remark	: Classification water polluting based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 4)
Storage class (LGK)	: LGK 3 - Flammable liquids
VbF class	: A II - Liquids with a flashpoint between 21°C and 55°C

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

**SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of R-, H- and EUH-phrases:	
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H336	May cause drowsiness or dizziness
R10	Flammable
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
Xn	Harmful

SDS EU\_NSC

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*