

The following Safety Datasheet is provided by **Blanchon**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit: Blanchon Protector

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : PROTECTOR

1.2. Relevant identified uses of the substance or mixture and uses advised against

floor varnish maintenance

1.3. Details of the supplier of the safety data sheet

Registered company name : BLANCHON GROUP.

Address : 50, 8ème rue.69800.SAINT PRIEST.FRANCE.

Telephone: 00.33.4.72.89.06.06. Fax:.

fds@blanchon.com

http://www.blanchon.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

Other emergency numbers

National Poisons Information Service (Birmingham Unit): 844 892 0111 Poisons Information Centre of Ireland (DUBLIN): +353 1 809 25 66 or +353 1 837 9964 (medical professionals)

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

```
Additional labeling :
EUH208
                      Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.
EUH208
                      Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE ;
                      2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.
Hazard statements :
Precautionary statements - General :
P101
                                     If medical advice is needed, have product container or label at hand.
P102
                                     Keep out of reach of children.
Precautionary statements - Prevention :
P271
                                     Use only outdoors or in a well-ventilated area.
Precautionary statements - Disposal :
P501
```

Dispose of contents / container to an approved landfill.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition : Identification	Classification (EC) 1272/2008	Note	%
CAS: 34590-94-8		[1]	2.5 <= x % < 10
EC: 252-104-2			
REACH: 01-2119450011-60			
DIPROPYLENE GLYCOL MONOMETHYL			
ETHER			
INDEX: 613-088-00-6	GHS05, GHS07, GHS09		0 <= x % < 0.036
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	В	0 <= x % <
CAS: 55965-84-9	Dgr	[1]	0.0015
REACH: 01-2120764691-48	Acute Tox. 3, H301		
	Acute Tox. 2, H310		
MIXTURE OF:	Skin Corr. 1C, H314		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Skin Sens. 1A, H317		
ONE ; 2-METHYL-2H-ISOTHIAZOL-3-ONE	Eye Dam. 1, H318		
(3:1)	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	MAcute = 100		
	Aquatic Chronic 1, H410		
	M Chronic = 100		
	EUH:071		

I de matificação de la concentración initias.	G	ATE
Identification	Specific concentration limits	ATE
CAS: 34590-94-8		dermal: ATE = 9510 mg/kg BW
EC: 252-104-2		oral: ATE = 8740 mg/kg BW
REACH: 01-2119450011-60		
DIPROPYLENE GLYCOL MONOMETHYL		
ETHER		
INDEX: 613-088-00-6	Skin Sens. 1: H317 C>= 0.05%	
CAS: 2634-33-5		
EC: 220-120-9		
REACH: 01-2120761540-60		
1,2-BENZISOTHIAZOL-3(2H)-ONE		
INDEX: 613-167-00-5	Skin Corr. 1C: H314 C>= 0.6%	
CAS: 55965-84-9	Skin Irrit. 2: H315 0.06% <= C < 0.6%	
REACH: 01-2120764691-48	Eye Dam. 1: H318 C>= 0.6%	
	Eye Irrit. 2: H319 0.06% <= C < 0.6%	
MIXTURE OF:	Skin Sens. 1A: H317 C>= 0.0015%	
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-		
ONE ; 2-METHYL-2H-ISOTHIAZOL-3-ONE		
(3:1)		

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

- Made under licence of European Label System $\ensuremath{\mathbb{R}}$ MSDS software from InfoDyne - http://www.infodyne.fr -

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

- In the event of a fire, use :
- sprayed water or water mist
- foam

- multipurpose ABC powder

- BC powder

- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

VME-mg/m3:	VME-ppm :	VLE-mg/m3:	VLE-ppm :	Notes :	
308	50	-	-	Peau	
rican Conferen	ce of Governme	ntal Industrial H	Iygienists, Thre	shold Limit Val	ues, 2010) :
TWA :	STEL :	Ceiling :	Definition :	Criteria :	
100 ppm	150 ppm		Skin		
cree of 11/05/20	021):				
TWA :	STEL :	Ceiling :	Definition :	Criteria :	
50 ppm			D		
308 mg/m3					
tils 65 / 2021-1	849, 2021-1763	, decree of 09/1	2/2021):		
VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
50	308	-	-	*	84
2021):					
VME	VLE	Valeur plafond	Notations]	
50 ppm	50			1	
50 ppm	50 ppm				
300 mg/m3	300 ppm 300 mg/m3				
11	**			-	
300 mg/m3 0.2 ppm	300 mg/m3 0.4 ppm)5, Fourth Editio	on 2020) :		
300 mg/m3 0.2 ppm	300 mg/m3 0.4 ppm)5, Fourth Edition	on 2020) : Definition :	Criteria :]
300 mg/m3 0.2 ppm lace exposure li	300 mg/m3 0.4 ppm mits, EH40/200	- <u> </u>	/	Criteria :]
	308 prican Conference TWA : 100 ppm cree of 11/05/20 TWA : 50 ppm 308 mg/m3 tils 65 / 2021-1: VME-ppm : 50 2021) : VME	Tican Conference of Governme TWA : STEL : 100 ppm 150 ppm cree of 11/05/2021) : . TWA : STEL : 50 ppm . 308 mg/m3 . tils 65 / 2021-1849, 2021-1763 VME-ppm : VME-mg/m3 : 50 . 308 . 2021) : . VME VLE	308 50 - crican Conference of Governmental Industrial F TWA : STEL : Ceiling : 100 ppm 150 ppm	308 50 - - - prican Conference of Governmental Industrial Hygienists, Three TWA : STEL : Ceiling : Definition : 100 ppm 150 ppm Skin Skin Skin cree of 11/05/2021) : TWA : STEL : Ceiling : Definition : 50 ppm D Jata 100 (100 (100 (100 (100 (100 (100 (100	308 50 - - Peau crican Conference of Governmental Industrial Hygienists, Threshold Limit Val TWA : STEL : Ceiling : Definition : Criteria : 100 ppm 150 ppm Skin Skin Image: Skin Image: Skin 100 ppm 150 ppm Skin Criteria : Image: Skin Image: Skin 100 ppm 150 ppm Skin Image: Skin Image: Skin Image: Skin TWA : STEL : Ceiling : Definition : Criteria : 50 ppm D D Image: Skin Image: Skin 308 mg/m3 D D Image: Skin Image: Skin 308 mg/m3 D D Image: Skin Image: Skin 111 yes V2021-1763, decree of 09/12/2021) : YME-mg/m3 : Notes : 50 308 - - * 2021) : Image: Skin - * VME VLE Valeur plafond Notations

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8)

Final use:
Exposure method:
Potential health effects:
DNEL :

Exposure method: Potential health effects: DNEL :

Final use:

Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: Workers. Dermal contact. Long term systemic effects. 283 mg/kg body weight/day

Inhalation. Long term systemic effects. 308 mg of substance/m3

Consumers.

Ingestion. Long term systemic effects. 36 mg/kg body weight/day

Dermal contact. Long term systemic effects.

121 mg/kg body weight/day

Exposure method: Potential health effects: DNEL :

DNEL :

Inhalation. Long term systemic effects. 37.2 mg of substance/m3

Predicted no effect concentration (PNEC):

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8)		
Environmental compartment:	Soil.	
PNEC :	2.74 mg/kg	
Environmental compartment:	Fresh water.	
PNEC :	19 mg/l	
Environmental compartment:	Sea water.	
PNEC :	1.9 mg/l	
Environmental compartment: PNEC :	Intermittent waste water. 190 mg/l	
	e	
Environmental compartment:	Fresh water sediment.	
PNEC :	70.2 mg/kg	
Environmental compartment:	Marine sediment.	
PNEC :	7.02 mg/kg	
Environmental compartment:	Waste water treatment plant.	
PNEC :	4168 mg/l	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

9.1. Information on basic physical and cl	hemical properties
Physical state Physical state :	Fluid liquid.
Colour Milky or coloured (depending on the aspect)	
Odour Odour threshold :	Not stated.
low odour Melting point Malting point/malting range i	Nat appairted
Melting point/melting range : Freezing point	Not specified.
Freezing point / Freezing range : Boiling point or initial boiling point and	
Boiling point/boiling range : Flammability	100 °C.
Flammability (solid, gas) : Lower and upper explosion limit Explosive properties, lower explosivity limit (9	Not stated.
Explosive properties, lower explosivity limit (: Explosive properties, upper explosivity limit (
:	
Flash point Flash Point Interval :	$FP > 100^{\circ}C.$
Auto-ignition temperature Self-ignition temperature :	Not specified.
Decomposition temperature Decomposition point/decomposition range :	Not specified.
рН рН :	Not stated. Slightly basic.
pH (aqueous solution) :	Not stated.
Kinematic viscosity Viscosity :	Not stated.
Solubility Water solubility :	Dilutable. Not stated.
Fat solubility :	
Partition coefficient n-octanol/water (log Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure Vapour pressure (50°C) :	Below 110 kPa (1.10 bar).
Density and/or relative density Density :	>1
Relative vapour density Vapour density :	Not stated.
Particle characteristics The mixture does not contain nanoforms.	
9.2. Other information VOC (g/l) : % VOC :	<105 < 105 g/l
9.2.1. Information with regard to physic No data available.	al hazard classes

- Made under licence of European Label System $\ensuremath{\mathfrak{B}}$ MSDS software from InfoDyne - http://www.infodyne.fr -

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data available.

11.1.1. Substances

Acute toxicity :

DIPROPYLENE GLYCOL MONOMETHYL Oral route :	ETHER (CAS: 34590-94-8) LD50 = 8740 mg/kg bodyweight/day Species : Rat
Dermal route :	LD50 = 9510 mg/kg bodyweight/day Species : Rabbit
Inhalation route (Vapours) :	LC50 3404.47 mg/l Species : Rat

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

11.2. Information on other hazards

No other hazards known according to Regulation (EC) No 1272/2008

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8) Fish toxicity : LC50 > 1000 mg/l Species : Poecilia reticulata

Duration of exposure : 96 h

Duration of exposure : 21 days

Crustacean toxicity :

EC50 = 1919 mg/l Species : Daphnia magna Duration of exposure : 48 h

NOEC = 0.5 mg/l Species : Daphnia magna

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Duration of exposure : 21 days

Algae toxicity :

ECr50 = 6999 mg/l Species : Scenedesmus subspicatus Duration of exposure : 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8) Biodegradability : Rapidly degradable.

12.3. Bioaccumulative potential

12.3.1. Substances

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8) Octanol/water partition coefficient : log Koe = 1.01

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available. 12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) : WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

15 01 10 * packaging containing residues of or contaminated by dangerous substances

08 01 11 * waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

-

14.4. Packing group

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

14.5. Environmental hazards

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions :

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) : WGK 1 : Slightly hazardous for water.

Swiss ordinance on the incentive tax on volatile organic compounds :

34590-94-8 2-(3-méthoxypropoxy)propane-1-ol

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H301		Toxic if swallowed.
H302		Harmful if swallowed.
H310		Fatal in contact with skin.
H314		Causes severe skin burns and eye damage.
H315		Causes skin irritation.
H317		May cause an allergic skin reaction.
H318		Causes serious eye damage.
H330		Fatal if inhaled.
H400		Very toxic to aquatic life.
H410		Very toxic to aquatic life with long lasting effects.
EUH0	071	Corrosive to the respiratory tract.

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

 $\mathrm{EC50}$: The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level PNEC : Predicted No-Effect Concentration STEL : Short-term exposure limit TWA : Time Weighted Averages TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure) AEV : Average Exposure Value. ADR : European agreement concerning the international carriage of dangerous goods by Road. IMDG : International Maritime Dangerous Goods. IATA : International Air Transport Association. ICAO : International Civil Aviation Organisation RID : Regulations concerning the International carriage of Dangerous goods by rail. WGK : Wassergefahrdungsklasse (Water Hazard Class). PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.

- Made under licence of European Label System $\ensuremath{\mathbb{R}}$ MSDS software from InfoDyne - http://www.infodyne.fr -