

The following Safety Datasheet is provided by Bona

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit: Bona Craft Oil 2K Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 United Kingdom (UK)

## SAFETY DATA SHEET

Bona Craft Oil 2K



### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

vooden floors For professional users only.
ture and uses advised against
5 00
com
inford Wood 4 6FD 60
14

1.4 Emergency telephone number

<u>Supplier</u>	
Telephone number	: +46 (0)40 385500
Hours of operation	: 8:00 - 16:00
Information limitations	: Information in English only!

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture				
Product definition	: Mixture			
Classification according to Not classified.	Regulation (EC) No. 1272/2008 [CLP/GHS]			

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	1	No signal word.
Hazard statements	1	No known significant effects or critical hazards.
Precautionary statements		
Prevention	:	Not applicable.
Response	1	Not applicable.
Storage	1	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Safety data sheet available on request.

### **SECTION 2: Hazards identification**

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	<u>ients</u>
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	

Other hazards which do not result in classification	:	Contains drying oils. Risk of self-ignition. Cloths, rags, paper and similar materials contaminated with oil should be placed in water or in sealed metal containers!

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : M	ixture			
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
Naphtha (petroleum), hydrotreated heavy	REACH #: 01-2119457273-39 EC: 918-481-9 CAS: 64742-48-9	≤3	Asp. Tox. 1, H304 EUH066	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

### 4.1 Description of first aid measures

General	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.
Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</li> </ul>
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Date of issue/Date of revision	: 2017-08-28 Date of previous issue : 2017-08-16 Version : 2.01 2/11

### **SECTION 4: First aid measures**

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

#### 4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

See toxicological information (Section 11)

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Recommended: alcohol-resistant foam, CO <sub>2</sub> , powders, water spray.
Unsuitable extinguishing media	:	Do not use water jet.
5.2 Special hazards arising f	from	the substance or mixture
Hazards from the substance or mixture	:	Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.

# equipment for fire-fighters SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	:	Avoid breathing vapour or mist. Refer to protective measures listed in sections 7 and 8.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.

: Appropriate breathing apparatus may be required.

**Special protective** 

### **SECTION 6: Accidental release measures**

6.3 Methods and material for containment and cleaning up	:	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a detergent. Avoid using solvents.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling	: Avoid contact with skin and eyes. Avoid inhalation of vapour, spray or mist. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
	Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or watercourses.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations.

### Notes on joint storage

Keep away from: oxidising agents, strong alkalis, strong acids.

#### Additional information on storage conditions

Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep container tightly closed.

No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### 7.3 Specific end use(s)

Recommendations

: For professional users only.

Industrial sector specific solutions

ic : Not available.

### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values	
Naphtha (petroleum), hydrotreated heavy	EH40/2005 WELs (United Kingdom (UK)). TWA: 1000 mg/m <sup>3</sup> 8 hours.	
procedures atmosphere or the of the ventilation protective equip the following: E the assessment limit values and atmospheres - C of exposure to c (Workplace atm	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness on or other control measures and/or the necessity to use respiratory ment. Reference should be made to monitoring standards, such as suropean Standard EN 689 (Workplace atmospheres - Guidance for c of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 hospheres - General requirements for the performance of procedures ment of chemical agents) Reference to national guidance	

### **SECTION 8: Exposure controls/personal protection**

documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available

Appropriato opginooring	÷ .	Provide adequate ventilation Where reasonably practicable, this should be
Appropriate engineering controls	•	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapours below the OEL, suitable respiratory protection must be worn.
ndividual protection measu	ure	<u>S</u>
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	1	Use safety eyewear designed to protect against splash of liquids.
Skin protection		
Hand protection		
There is no one glove ma combination of chemicals		al or combination of materials that will give unlimited resistance to any individual or
The instructions and infor replacement must be follo		tion provided by the glove manufacturer on use, storage, maintenance and
Gloves should be replace Always ensure that gloves The performance or effec maintenance. Barrier creams may help	ed re s ar ctive	egularly and if there is any sign of damage to the glove material. e free from defects and that they are stored and used correctly. eness of the glove may be reduced by physical/chemical damage and poor protect the exposed areas of the skin but should not be applied once exposure has
Gioves should be replace Always ensure that gloves The performance or effec maintenance.	ed re s ar ctive to p	egularly and if there is any sign of damage to the glove material. e free from defects and that they are stored and used correctly. eness of the glove may be reduced by physical/chemical damage and poor
Goves should be replace Always ensure that gloves The performance or effect maintenance. Barrier creams may help occurred.	ed re s ar ctive to p	egularly and if there is any sign of damage to the glove material. The free from defects and that they are stored and used correctly. The glove may be reduced by physical/chemical damage and poor protect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves:
Goves should be replace Always ensure that gloves The performance or effect maintenance. Barrier creams may help occurred.	ed re s ar ctive to p	egularly and if there is any sign of damage to the glove material. e free from defects and that they are stored and used correctly. eness of the glove may be reduced by physical/chemical damage and poor protect the exposed areas of the skin but should not be applied once exposure has
Goves should be replace Always ensure that gloves The performance or effect maintenance. Barrier creams may help occurred.	ed re s ar ctive to p	egularly and if there is any sign of damage to the glove material. e free from defects and that they are stored and used correctly. eness of the glove may be reduced by physical/chemical damage and poor protect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves: Recommended: nitrile rubber The recommendation for the type or types of glove to use when handling this
Gloves should be replace Always ensure that gloves The performance or effec maintenance. Barrier creams may help occurred.	ed re s ar ctive to p :	egularly and if there is any sign of damage to the glove material. e free from defects and that they are stored and used correctly. eness of the glove may be reduced by physical/chemical damage and poor protect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves: Recommended: nitrile rubber The recommendation for the type or types of glove to use when handling this product is based on information from the following source: The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of
Goves should be replace Always ensure that gloves The performance or effect maintenance. Barrier creams may help occurred. Gloves	ed ref s ar ctive to p :	egularly and if there is any sign of damage to the glove material. e free from defects and that they are stored and used correctly. eness of the glove may be reduced by physical/chemical damage and poor protect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves: Recommended: nitrile rubber The recommendation for the type or types of glove to use when handling this product is based on information from the following source: The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Personnel should wear antistatic clothing made of natural fibres or of high-
Gioves should be replace Always ensure that gloves The performance or effect maintenance. Barrier creams may help occurred. Gloves Body protection	ed ref s ar to p : :	egularly and if there is any sign of damage to the glove material. e free from defects and that they are stored and used correctly. eness of the glove may be reduced by physical/chemical damage and poor protect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves: Recommended: nitrile rubber The recommendation for the type or types of glove to use when handling this product is based on information from the following source: The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Personnel should wear antistatic clothing made of natural fibres or of high- temperature-resistant synthetic fibres. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be

5/11

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

### **Appearance**

	Appearance		
	Physical state	:	Liquid.
	Colour	:	Various
	Odour	:	Not available.
	Odour threshold	:	Not applicable.
	рН	:	Not applicable.
	Melting point/freezing point	:	Not available.
	Initial boiling point and boiling range	:	Not available.
	Flash point	:	Closed cup: >95°C
	Evaporation rate	:	Not available.
	Flammability (solid, gas)	:	Not applicable.
	Upper/lower flammability or explosive limits	:	Not applicable.
	Vapour pressure	:	Not available.
	Vapour density	:	Not available.
	Relative density	:	0,95
	Solubility(ies)	:	Insoluble in the following materials: cold water and hot water.
	Partition coefficient: n-octanol/ water	:	Not applicable.
	Auto-ignition temperature	:	Not available.
	Decomposition temperature	:	Not applicable.
	Viscosity	:	Not available.
	Explosive properties	:	Not available.
	Oxidising properties	:	Not available.
9	9.2 Other information		
	Solubility in water		Not available

### Solubility in water

: Not available.

No additional information.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredien	ts.
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.	
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.	
10.6 Hazardous decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.	

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Naphtha (petroleum), hydrotreated heavy	LC50 Inhalation Vapour	Rat	8500 mg/m³	4 hours
nydroli calca neavy	LD50 Dermal	Rabbit	>3200 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
<b>Conclusion/Summary</b>	: Not available.			
Acute toxicity estimates				
Not available.				
rritation/Corrosion				
Conclusion/Summary	: Not available.			
Sensitisation				
Conclusion/Summary	: Not available.			
<u>Mutagenicity</u>				
Conclusion/Summary	: Not available.			
Carcinogenicity				
Conclusion/Summary	: Not available.			
Reproductive toxicity				
Conclusion/Summary	: Not available.			
Teratogenicity				
Conclusion/Summary	: Not available.			
Specific target organ toxicity	<u>(single exposure)</u>			
Not available.				
Specific target organ toxicity	(repeated exposure)			
Not available.				

#### Aspiration hazard

Product/ingredient name	Result	
Naphtha (petroleum), hydrotreated heavy	ASPIRATION HAZARD - Category 1	

#### Other information

: Not available.

: 2017-08-28

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as hazardous to the environment.

<b>Conclusion/Summary</b>	: Not available.

Date of issue/Date of revision	Date o	f issue/Date	of revision
--------------------------------	--------	--------------	-------------

### **SECTION 12: Ecological information**

#### 12.2 Persistence and degradability

Conclusion/Summary	: Not available.		
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Naphtha (petroleum), hydrotreated heavy	-	-	Readily

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Naphtha (petroleum), hydrotreated heavy	-	10 to 2500	high

#### 12.4 Mobility in soil

Soil/water partition coefficient (K <sub>oc</sub> )	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment		
PBT	: Not applicable.	
vPvB	: Not applicable.	

**12.6 Other adverse effects** : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

<u>Product</u>		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	:	Yes.
Disposal considerations	:	Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

#### European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

Waste code	Waste designation	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	
Packaging	•	
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>	

### **SECTION 13: Disposal considerations**

Disposal considerations	<ul> <li>Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.</li> </ul>
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
	Contains drying oils. Risk of self-ignition. Cloths, rags, paper and similar materials contaminated with oil should be placed in water or in sealed metal containers!

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

user

**14.6 Special precautions for** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk : Not applicable. according to Annex II of Marpol and the IBC Code

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

SECTION 15: Regulatory information			
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.		
Other EU regulations			
VOC	: The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the product label and/or technical data sheet for further information.		
VOC for Ready-for-Use Mixture	: 2004/42/EC - IIA/f: 700g/l (2010). <= 130g/l VOC.		
Europe inventory	: Not determined.		
Ozone depleting substance Not listed.	<u>es (1005/2009/EU)</u>		
Prior Informed Consent (P	PIC) (649/2012/EU)		
Not listed.			
<u>Seveso Directive</u>			
•	d under the Seveso Directive.		
National regulations			
Industrial use	: The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.		
International regulations			
Chemical Weapon Convent	ion List Schedules I, II & III Chemicals		
Not listed.			
Montreal Protocol (Annexes Not listed.	<u>s A, B, C, E)</u>		
Stockholm Convention on I Not listed.	Persistent Organic Pollutants		
Rotterdam Convention on F Not listed.	Prior Informed Consent (PIC)		
UNECE Aarhus Protocol on	POPa and Happy Matala		
Not listed.			
International lists			
National inventory			
Australia	: Not determined.		
Canada	: At least one component is not listed in DSL but all such components are listed in NDSL.		
China	: Not determined.		
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.		
Malaysia	: Not determined.		
New Zealand	: Not determined.		
Philippines	: Not determined.		
Republic of Korea	: Not determined.		
Taiwan	: Not determined.		
Turkey	: Not determined.		

Date of issue/Date of revision

### SECTION 15: Regulatory information

**United States** 

: All components are listed or exempted.

**15.2 Chemical safety** : No Chemical Safety Assessment has been carried out.

assessment

### SECTION 16: Other information

CEPE	code		

Indicates information that has changed from previously issued version.

8

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number</li> </ul>
	vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

#### Full text of abbreviated H statements

H304		May be fatal if swallowed and enters airways.
Full text of classifications	[CLP/GHS]	
Asp. Tox. 1, H304 EUH066		ASPIRATION HAZARD - Category 1 Repeated exposure may cause skin dryness or cracking.
Date of printing	: 2017-09-29.	
Date of issue/ Date of revision	: 2017-08-28	
Date of previous issue	: 2017-08-16	
Version Notice to reader	<b>:</b> 2.01 GT5700, -10, -20, -30, -40, -50	

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.