

A decorative graphic in the top left corner consisting of concentric, wavy orange lines that resemble wood grain or topographical contours.

WOOD FINISHES DIRECT



Finish. Finished.

The following Technical Datasheet is provided by **Bona**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:

[Bona Wood Floor Refresher](#)

Bona Wood Floor Refresher

Technical data sheet

Bona Wood Floor Refresher is a ready-to-use waterborne maintenance coating for varnished or painted wooden floors. It revives scratched and dull surfaces and offers extended protection against wear. Contains no wax and thus allows for future coats of varnish. With its high friction it is an excellent remedy to slippery floors.

- Durable, made from pure polyurethane
- Easy and safe to use
- Quick drying
- High friction

Technical data

Binding agent:	Polyurethane
Gloss:	High gloss
Dilution:	Do not dilute
Drying time:	- Touch dry: 30-60 minutes - Recoatable: minimum 2 hours
Application tools:	Bona Applicator Pad
Coverage:	Approx. 50 m ² /litre
Safety:	The product is not classified as dangerous according to European Directive 1999/45/EC and its amendments.
Cleaning:	Clean tools with water directly after use. Dried material can be removed with acetone.
Shelf life:	2 years from date of production in unopened original container
Storage/transport:	The temperature must not fall below +5°C or exceed +25°C during storage and transport.
Disposal:	Wastes and emptied containers should be handled in accordance with local regulations.
Sizes:	1 litre

Preparations

Remove loose dirt and grit from your floor. Clean floor thoroughly with Bona Wood Floor Cleaner and let dry. Do not use over any floor that has been waxed or oiled. Wax and oil residues will prevent proper adhesion of Bona Wood Floor Refresher to floor. **If uncertain, perform a small test before use.**

Shake bottle thoroughly before use and apply at normal room temperature, 18-25°C.

Application

1. Pour a wide, wavy line of Wood Floor Refresher on a small section of the floor.
2. Spread the product over the section using a Bona Applicator Pad.
3. Complete section by smoothing with the applicator pad in the direction of the wood.
4. Continue section by section until the whole floor has been treated.

The floor can be walked on already after 2 hours but avoid heavy traffic and replacement of furniture and rugs the first 12 hours.

Maintenance



Bona Wood Floor Refresher

Technical data sheet

Clean floor with Bona Wood Floor Cleaner and a Bona Cleaning Pad. When the floor is starting to show signs of wear and needs freshening up, clean and apply a new layer of Bona Wood Floor Refresher. For removal of refresher build up use Bona Polish Remover.

For information on maintenance and maintenance products see www.bona.com/care