

The following Safety Datasheet is provided by **Fiddes**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit: Fiddes Vita Shine



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/8

Vita Shine

Revision 4
Revision date 2015-11-13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Vita Shine

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description No data is available on this product.

1.3. Details of the supplier of the safety data sheet

Company Fiddes & Son Ltd

Address Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX

 Web
 www.fiddes.co.uk

 Telephone
 +44 (0)29 2034 0323

 Fax
 +44 (0)29 2034 3235

 Email
 info@fiddes.co.uk

Email address of the info@fiddes.co.uk competent person

1.4. Emergency telephone number

Emergency telephone number | 1-352-323-3500

Company INFOTRAC

24HR

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification -

1999/45/EC

Xn; R20/21/22-65 Xi; R36/38-43 N; R51/53 R66

Symbols: Xn: Harmful. N: Dangerous for the environment.

Main hazards

Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes and skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.

2.1.2. Classification - EC

1272/2008

Acute Tox. 4: H302; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; STOT SE 3: H336; Aquatic Chronic 2: H411;

2.2. Label elements

Hazard pictograms







Signal Word

Hazard Statement

Danger

Acute Tox. 4: H302 - Harmful if swallowed.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Revision 4
Revision date 2015-11-13

2.2. Label elements

	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
Prevention	P270 - Do no eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ .
Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P331 - Do NOT induce vomiting.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Precautionary Statement:	P102 - Keep out of reach of children.
Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Precautionary Statement:	Dispose of this material and its container to hazardous or special waste collection point.
Disposal	P501

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cylics, <2% aromatics		64742-48-9	919-857-5	01-2119463258-33	40 - 50%	Xn; R65 R10-66-67	
1,2,4-Trimethylbenzene	601-043-00-3	95-63-6	202-436-9		0 - 0.5%	R10 Xn; R20 Xi; R36/37/38 N; R51/53	
Turpentine, oil (Turpentine)	650-002-00-6	8006-64-2	232-350-7		20 - 30%	R10 Xn; R20/21/22-65 Xi; R36/38 R43 N; R51/53	
Xylene (Xylene, o-,m-,-p-or mixed isomers)	601-022-00-9	1330-20-7	215-535-7		0 - 0.5%	R10 Xn; R20/21 Xi; R38	
1,3,5-Trimethylbenzene (Mesitylene)	601-025-00-5	108-67-8	203-604-4		0 - 0.5%	R10 Xi; R37 N; R51/53	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cylics, <2% aromatics		64742-48-9	919-857-5	01-2119463258-33	40 - 50%	EUH066; Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336;	
Turpentine, oil (Turpentine)	650-002-00-6	8006-64-2	232-350-7		20 - 30%	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

	•
Inhalation	Harmful by inhalation.
Eye contact	Harmful.



Revision 4
Revision date 2015-11-13

	Revision date 2015-11-1
4.2. Most important symptoms a	and effects, both acute and delayed
Skin contact	Harmful in contact with skin.
Ingestion	Harmful if swallowed.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Seek medical attention.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention.
Ingestion	Seek medical attention.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions. Vapour may travel considerable distance to source of ignition and flash back.
5.2. Special hazards arising from	m the substance or mixture
	Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental relea	ase measures
	ective equipment and emergency procedures
o. i. i orgonai procautions, prote	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep public
	away from danger area. Keep upwind.
6.2. Environmental precautions	
	Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow
	product to enter drains.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.
6.4. Reference to other sections	3
	See section 2, 3, 8, 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlir	-
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	
	Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in
	a cool place. Store at temperatures between 5 °C and 18 °C.
7.3. Specific end use(s)	
	No data is available on this product.
SECTION 8: Exposure contro	ols/personal protection
8.1. Control parameters	
,	
	See section 8.2 for further information.




Revision 4
Revision date 2015-11-13

8.1.1. Exposure Limit Values

1,2,4-Trimethylbenzene	DIR : 2000/39	8hTWA ppm: 20
	8hTWA mg/m3: 100	STEL ppm: -
	STEL mg/m3: -	NOT: -
1,3,5-Trimethylbenzene	DIR: 2000/39	8hTWA ppm: 20
(Mesitylene)		
	8hTWA mg/m3 : 100	STEL ppm: -
	STEL mg/m3: -	NOT: -
Turpentine, oil (Turpentine)	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3: 566
	WEL 15 min limit ppm: 150	WEL 15 min limit mg/m3: 850
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Xylene (Xylene, o-,m-,-p-or mixed isomers)	WEL 8-hr limit ppm: 50	WEL 8-hr limit mg/m3: 220
mixed isomers)	WEL 15 min limit ppm: 100	WEL 15 min limit mg/m3: 441
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



Revision 4
Revision date 2015-11-13

9.1. Information on basic physical and chemical properties

Appearance	Parto
Colour	Amber
Odour	Characteristic
Odour threshold	No data available
pH	No data available
Melting point	No data available
Initial boiling point	No data available
Flash point	34 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Solubility	Immiscible in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data is available on this product.

10.4. Conditions to avoid

Heat, sparks and open flames.

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data is available on this product.

12.3. Bioaccumulative potential



Revision 4
Revision date 2015-11-13

	Revision date 2015-11-13
12.3. Bioaccumulative potentia	
	No data is available on this product.
Partition coefficient	
	Vita Shine No data available Hydrocarbons, C9-C11, n-alkanes, No data available isoalkanes, cylics, <2% aromatics
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of as special waste in compliance with local and national regulations.
SECTION 44. Transport info	
SECTION 14: Transport info	ormation
Hazard pictograms	T .
	3
14.1. UN number	
	UN1263
14.2. UN proper shipping name)
	PAINT
14.3. Transport hazard class(e	s)
ADR/RID	3
Subsidiary risk] -
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk 14.4. Packing group	<u> </u>
	l III
Packing group 14.5. Environmental hazards	<u> </u>
Environmental hazards	No
Marine pollutant	No
ADR/RID	<u>,</u>
Hazard ID	30
Tunnel Category	(D/E)
IMDG	-
EmS Code	F-E S-E
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L

Revision 4
Revision date 2015-11-13

IATA

Packing Instruction (Passenger)
Maximum quantity

355

60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 2 2.1. Classification of the substance or mixture.
- 2 2.1.2. Classification EC 1272/2008.
- 2 Hazard pictograms.
- 2 Signal Word.
- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 2 Precautionary Statement: Storage.
- 2 Precautionary Statement: Disposal.
- 9 9.1. Information on basic physical and chemical properties (Appearance).
- 9 9.1. Information on basic physical and chemical properties (Colour).
- 9 9.1. Information on basic physical and chemical properties (Odour).
- 9 9.1. Information on basic physical and chemical properties (PH).
- 9 9.1. Information on basic physical and chemical properties (Initial boiling point).
- 9 9.1. Information on basic physical and chemical properties (Melting point).
- 9 9.1. Information on basic physical and chemical properties (Flash point).
- 9 9.1. Information on basic physical and chemical properties (Flammability (solid, gas)).
- 9 9.1. Information on basic physical and chemical properties (Autoignition temperature).
- 9 9.1. Information on basic physical and chemical properties (Explosive properties).
- 9 9.1. Information on basic physical and chemical properties (Vapour pressure).
- 9 9.1. Information on basic physical and chemical properties (Relative density).
- 9 9.1. Information on basic physical and chemical properties (Viscosity).
- 9 9.1. Information on basic physical and chemical properties (Vapour density).
- 9 9.1. Information on basic physical and chemical properties (Evaporation rate).
- 9 9.1. Information on basic physical and chemical properties ().
- 9 9.1. Information on basic physical and chemical properties ().
- 9 9.1. Information on basic physical and chemical properties (Solubility).
- 9 9.1. Information on basic physical and chemical properties (Odour threshold).
- 9 9.2. Other information (Conductivity).
- 9 9.2. Other information (Partition coefficient).
- 9 9.2. Other information (Gas group).
- 9 9.2. Other information (Surface tension).
- 11 11.1.4. Toxicological Information.



Revision 4
Revision date 2015-11-13

Other information	
	12 - 12.1. Toxicity.
	15 - Risk phrases.
	15 - Safety phrases.
Text of risk phrases in	R10 - Flammable
Section 3	R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.
	R20/21 - Harmful by inhalation and in contact with skin.
	R20 - Harmful by inhalation.
	R36/37/38 - Irritating to eyes, respiratory system and skin.
	R36/38 - Irritating to eyes and skin.
	R37 - Irritating to respiratory system.
	R38 - Irritating to skin.
	R43 - May cause sensitisation by skin contact.
	R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	R65 - Harmful: may cause lung damage if swallowed.
	R66 - Repeated exposure may cause skin dryness or cracking.
	R67 - Vapours may cause drowsiness and dizziness.
Text of Hazard Statements in	EUH066 - Repeated exposure may cause skin dryness or cracking.
Section 3	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
General information	
	This information is correct to the best of our knowledge and belief at the date of publication
	however no guarantee is made to its accuracy.

