

The following Safety Datasheet is provided by **Manns**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit: Manns Classic Beeswax Polish



1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY 1.1. Product Identifier Manns Classic Beeswax Polish 1.2. Relevant identified uses of the substance or mixture and uses advised against Product Use Coating for wood. Manns Classic Beeswax Polish Name 1.3. Details of the supplier of the safety data sheet Company Wood Finishes Direct LTD Unit B, 5 Acre Trade Estate, Park Farm Road, Folkestone, KENT, CT19 5DS Address Web www.wood-finishes-direct.com +44 (0)1303 213838 Telephone +44 (0)844 815 4992 Fax wood@finishes.direct Email wood@finishes.direct Email address of the competent person 1.4. Emergency telephone number 111 (England and Wales) or 08454 24 24 24 (Scotland) Emergency telephone number

National Poisons Information Service (NHS Direct)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification -67/548/EEC

The full text for hazard statements and R phrases are provided in section 16.

2.1.2. Classification - EC

Physical:- Not classified as hazardous. Health:- Asp. Tox. 1, STOT SE 3

1272/2008

Company

Environmental:- Not classified as hazardous.

Hazard Pictograms







Signal Word	Danger
Hazard Statements	H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways.
Precautionary Statements	P102 Keep out of reach of children. P261 Avoid breathing vapours P271 Use only outdoors or in a well-ventilated area P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P331 Do NOT induce vomiting P501 Dispose of contents/container in accordance with local regulations.
Supplementary Precautionary	P403 + P233 Store in a well-ventilated place and keep container tightly closed. P405 Store locked up
Precautionary Statements	EUH066 Repeated exposure may cause skin dryness or cracking

2.3. Other Hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Classification of the substance or mixture

67/548/EEC / 1999/45/EC

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics						
EC No.	Related CAS No.	Related CAS No. Substance Name		Classification (67/548/EEC)	Concentration	
919-857-5	64742-48-9	l '	Flam. Liq. 3 - H226 EUH066 STOT SE 3 - H336 Asp. Tox. 1 - H304	R10, R66, R67	40 - 60%	

The full text for hazard statements and R phrases are provided in section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

	<u> </u>		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if symptoms persist.		
Skin contact	Wash with soap and water. In case of skin irritation, consult a physician.		
Eye contact	Flush with water for at least 15 minutes, keeping eyelids open. If irritation continues seek medical attention.		
Ingestion	Seek immediate medical attention.		

4.2. Most important symptoms and effects, both acute and delayed

	 ıwı	 2000	IOWEU.	HILLIA	COUSE	CHOVVSIIIE	355 CH	dizziness.	

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatment	First aid and treatment of symptoms.
--------------------	--------------------------------------

5. FIREFIGHTING ME	ASLIDES
5.1. Extinguishing media	AJUKEJ
	Use mist sprays, carbon dioxide or dry chemicals.
5.2. Special hazards arisin	ng from the substance or mixture
	Incomplete combustion or high temperatures can produce acrid fumes.
5.3. Advice for firefighters	
	Do not breathe in fumes and wear respiratory protection equipment.
6. ACCIDENTAL RELE	ASE MEASURES
6.1. Personal precautions,	protective equipment and emergency procedures
	Wear suitable protective clothing to prevent any contamination of skin, eyes and personal clothing. Avoid inhalation and ensure sufficient ventilation.
6.2. Environmental precau	tions
	Contain spill safely, if possible. Prevent from entering drains, watercourses and sewers.
6.3. Methods and materia	for containment and cleaning up
	Contain spill with inert material such as sand, earth or vermiculite. Collect and dispose of safely.
6.4. Reference to other sec	tions
	See section 2, 3, 8, 13 for further information.
7. HANDLING AND	STORAGE
7.1. Precautions for safe ha	andling
Protective measures	Handle in accordance with good industrial hygiene and safety. Avoid inhalation, use in well-ventilated areas and wear personal protective clothing.
Measures to prevent fires	Keep away from sources of ignition.
Measures to prevent the environment	Protect shafts and sewers from entry of the product.
Advice on general occupational hygiene	Work in well-ventilated zones or use proper respiratory protection. Avoid contact with skin, eyes and clothes.
7.2. Conditions for safe sto	rage, including any incompatibilities
	Keep in original containers, tightly sealed and in a well-ventilated area. Store away from heat and direct sunlight.
7.3. Specific end use(s)	
	Observe instructions of use.
8. EXPOSURE CONTR	ROLS/PERSONAL PROTECTION
8.1. Control parameters	
Advisory OEL (CEFIC - HSPA):	1200mg/m3

8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
Eye / face protection	Wear suitable safety glasses.
Skin protection	Wear suitable gloves and suitable protective work clothing. After contact with skin, wash immediately.
Respiratory protection	Avoid, as far as is reasonable practical, inhalation of vapour, mists or fumes generated during use and use in a well-ventilated area. If possible, use a mechanical ventilator. If technical exhaust or ventilation measures are not possible or insufficient, wear respiratory protection.
8.2.3. Environmental exposure controls	Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Appearance Paste

Appearance	Paste Paste
Colour	White
Odour	Slight Solvent Odour
Odour threshold	No data available
рН	No data available
Melting point	No data available
Boiling range	145 °C - 200 °C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.88 (H2O = 1 @ 20 °C)
Partition coefficient	No data available
Autoignition temperature	>230 °C
Viscosity	0.8 (20 °C - g/cm²)
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Insoluble
9.2. Other information	
	The high absorptive capacity of the blend of waxes means that this mixture exists as a solid white paste, despite its high liquid content. As such, in this state as supplied, the mixture does not meet the criteria for classification in accordance with Regulation (EC) No. 1272/2008 (2.7.2), Directive 1999/45 EC or the UN criteria (Transport of Dangerous Goods, Model Regulation, Chapter 2.4) for a

flammable solid.

10. STABILITY AND R	EACTIVITY
10.1. Reactivity	
,	No data available.
10.2. Chemical stability	
•	Stable under normal conditions.
10.3. Possibility of hazard	lous reactions
-	No data is available on this product.
10.4. Conditions to avoid	
	Prevent overheating.
10.5. Incompatible materi	als
	Avoid contact with strong acids and oxidising agents.
10.6. Hazardous decomp	osition products
	Thermal decomposition can produce carbon monoxide, organic acids, aldehydes, alcohols, irritating vapours and smoke.
11. TOXICOLOGICA	LINFORMATION
11.1. Toxicological Inform	ation
11.2. Other Potential Hea	lth Effects
Inhalation	May cause drowsiness or dizziness.
Ingestion	May be harmful if swallowed.
Eye Irritation	May cause eye irritation.
Skin irritation	May cause skin dryness and cracking through repeated exposure.
12. ECOLOGICAL IN	FORMATION
12.1. Toxicity	
12.2. Persistence and deg	radability
	No data is available on this product.
12.3. Bioaccumulative pot	ential
	Not expected to bioaccumulate.
12.4. Mobility in soil	
	Immobile
12.5. Results of PBT and v	PvB assessment
	No data is available on this product.
12.6. Other adverse effec	
	No data is available on this product.
13.DISPOSAL CONS	
13.1. Waste treatment me	thods
	Follow instructions and incinerate or dispose of product and contaminated packaging in accordance with local authority regulations.

141 1181 1	
14.1. UN number	T
	Not applicable.
14.2. UN proper shipping	name
	Not applicable.
14.3. Transport hazard cla	ass(es)
ADR/RID	Not applicable.
Subsidiary risk	Not applicable.
IMDG	Not applicable.
Subsidiary risk	Not applicable.
IATA	Not applicable.
Subsidiary risk	Not applicable.
14.4. Packing group	
	Not applicable.
14.5. Environmental haza	rds
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	Not applicable.
Tunnel Category	Not applicable.
IMDG	
EmS Code	Not applicable.
IATA	
Packing Instruction (Cargo)	Not applicable.
Maximum quantity	Not applicable.
Packing Instruction	Not applicable.
(Passenger)	
Maximum quantity	Not applicable.
15. REGULATORY IN	FORMATION
15.1. Safety, health and e	nvironmental regulations/legislation specific for the substance or mixtur
EU legislation	Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH)
Other regulations	Health & Safety at Work etc. Act 1974 Control of Substances Hazardous to Health Regulations 2002 (as amended) Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 Classification, Labelling and Packaging of Substances and Mixtures Regulations 2008 (as amended) EH40/2005 Workplace Exposure Limits (as amended) Environmental Protection Act 1990 Hazardous Waste Regulations 2005 (as amended)
15.2. Chemical safety asse	essment essent
,	No data is available on this product.

16. OTHER INFORMATION				
Other information				
Text of risk phrases in	R65 Harmful: may cause lung damage if swallowed. R10 Flammable. R66 Repeated exposure may cause skin dryness or cracking. R67 Vapours may cause drowsiness or dizziness.			
Text of Hazard Statements	H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways. H226 Flammable liquid and vapour. EUH066 Repeated exposure may cause skin dryness or cracking.			
General information				
	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy			