



# WOOD FINISHES DIRECT

The following Safety Datasheet is provided by **Manns**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:  
[Manns Trade Bar Top Lacquer](#)



# MANNS TRADE

## Safety Data Sheet

Manns Trade Bar Top Lacquer

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

#### 1.1. Product Identifier

Name	Manns Trade Bar Top Lacquer
------	-----------------------------

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC9a] Coatings and paints, thinners, paint removers; [AC1 1] Wood articles;
Name	Manns Trade Bar Top Lacquer

#### 1.3. Details of the supplier of the safety data sheet

Company	Wood Finishes Direct LTD
Address	Unit B, 5 Acre Trade Estate, Park Farm Road, Folkestone, KENT, CT19 5DS
Web	www.wood-finishes-direct.com
Telephone	+44 (0)1303 213838
Fax	+44 (0)844 815 4992
Email	wood@finishes.direct
Email address of the competent person	wood@finishes.direct

#### 1.4. Emergency telephone number

Emergency telephone number	+44 (0)1303 213838
Company	Wood Finishes Direct LTD 7am - 7pm Mon - Fri, 8am - 5pm Sat, 10am - 4pm Sun.

### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 67/548/EEC	Xn; R65 R10-66-67 Symbols: Xn: Harmful.
Main hazards	Flammable. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.
2.1.2. Classification - EC 1272/2008	EUH066; Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336;

#### 2.2. Label elements

Hazard pictograms	
-------------------	--

# Manns Trade Bar Top Lacquer

## 2.1. Classification of the substance or mixture

Signal Word	Danger
Hazard Statement	EUH066 - Repeated exposure may cause skin dryness or cracking. Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. STOT SE 3: H336 - May cause drowsiness or dizziness.

## 2.2. Label elements

Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use foam/CO2 to extinguish.
Precautionary Statement: Storage	P102 - Keep out of reach of children. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Precautionary Statement: Disposal	Dispose of this material and its container to hazardous or special waste collection point.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Classification of the substance or mixture

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Reg No	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		64742-48-9	919-857-5 0	01-2119463258-33	50 - 60%	Xn; R65 R10-66-67	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Reg No	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		64742-48-9	919-857-5	01-2119463258-33	50 - 60%	EUH066; Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE3: H336;	

# Manns Trade Bar Top Lacquer

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Harmful by inhalation
Eye contact	Harmful
Skin contact	Harmful in contact with skin.
Ingestion	Harmful if swallowed.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Seek medical attention
Eye contact	Seek medical attention
Skin contact	Seek medical attention.
Ingestion	Seek medical attention.

## 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions. Vapour may travel considerable distance to source of ignition and flash back.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep public away from danger area. Keep upwind.
--	--

### 6.2. Environmental precautions

	Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow product to enter drains.
--	---

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.
--	--

### 6.4. Reference to other sections

	See section 2, 3, 8, 13 for further information.
--	--

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

## Manns Trade Bar Top Lacquer

**7.2. Conditions for safe storage, including any incompatibilities**

	Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in a cool place. Store at temperatures between 5 °C and 18 °C.
--	--

**7.3. Specific end use(s)**

	No data is available on this product.
--	---------------------------------------

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

	See section 8.2 for further information.
--	--

**8.2. Exposure controls**

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
Eye / face protection	Wear eye/face protection.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Wear suitable respiratory equipment when necessary.
8.2.3. Environmental exposure controls	Avoid release to the environment.

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Appearance	Liquid
Colour	Amber
Odour	Characteristic
Odour threshold	No data available
pH	No data available
Melting point	No data available
Initial boiling point	No data available
Flash point	42 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.88 (H <sub>2</sub> O = 1 @ 20 °C)
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Immiscible in water

# Manns Trade Bar Top Lacquer

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	523 g/l

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No data is available on this product.

### 10.4. Conditions to avoid

Heat, sparks and open flames.

### 10.5. Incompatible materials

Oxidising agents.

### 10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

## 11. TOXICOLOGICAL INFORMATION

### 11.1.4. Toxicological Information

No data available

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

No data available

### 12.2. Persistence and degradability

No data is available on this product.

### 12.3. Bioaccumulative potential

No data is available on this product.

#### Partition coefficient

Manns Trade Bar Top Lacquer No data available Hydrocarbons, C9-C11, n-alkanes, No data available isoalkanes, cyclics, <2% aromatics

### 12.4. Mobility in soil

No data is available on this product.

### 12.5. Results of PBT and vPvB assessment

No data is available on this product.

### 12.6. Other adverse effects

No data is available on this product.

# Manns Trade Bar Top Lacquer

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of as special waste in compliance with local and national regulations.

## 14. TRANSPORT INFORMATION

### Hazard pictograms



### 14.1. UN number

UN1263

### 14.2. UN proper shipping name

PAINT

### 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

### 14.4. Packing group

III

### 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

### ADR/RID

Hazard ID	33
Tunnel Category	(D/E)

### IMDG

EmS Code	F-E S-E
----------	---------

### IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

# Manns Trade Bar Top Lacquer

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/E and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	---

### 15.2. Chemical safety assessment

	No data is available on this product.
--	---------------------------------------

## 16. OTHER INFORMATION

### Other information

Revision	This document differs from the previous version in the following areas: 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal.
Text of risk phrases in Section 3	R10 - Flammable R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking. R67 - Vapours may cause drowsiness and dizziness.
Text of Hazard Statements in Section 3	EUH066 - Repeated exposure may cause skin dryness or cracking. Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. STOT SE 3: H336 - May cause drowsiness or dizziness.
Maximum content of VOC	523 g/l.

### General information

	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy
--	---