



# WOOD FINISHES DIRECT

The following Product Datasheet is provided by **Morrells**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:  
[Morrells Induro General Purpose Sealer](#)

# Product Data Sheet



## Induro Waterborne Sealers

Code	Description	Code	Description
Induro GP Seal	General Purpose Sealer	Induro EB Seal	Anti Edge Bond Sealer

<b>Technical Data</b>	<p>State of the art 'wood warming' ('Anfuerung') waterborne sealers specifically formulated to :</p> <ul style="list-style-type: none"> <li>o Enhance the natural appearance and grain structure of all solid and veneered timbers, particularly oak and mahogany.</li> <li>o Provide a "key" for the application of the Induro XL1 and XL2 Topcoats.</li> <li>o The Edge Bonding Sealer minimises splitting of the coating along joints due to movement.</li> </ul> <p>These products are not suitable for areas where high levels of water are present, for example bathrooms and swimming pool walkways etc.</p>
<b>Properties</b>	<p>When used with Morrells Induro XL1 and XL2 Waterborne Flooring Lacquers extremely strong but flexible coatings with excellent clarity offering outstanding chemical and mechanical resistance coating can be produced.</p> <p>Unlike other waterborne sealers available these products do not require the addition of an extra crosslinking additive, and thus avoids an extra mixing process and the health hazards associated with post-added external cross linkers.</p>
<b>Mixing Guidelines</b>	Supplied ready for use (RFU) and does not require further thinning.
<b>Handling</b>	<p>Touch Dry: 1.5 – 2 hours @ 18°C Recoat: 2 hours minimum @ 18°C</p> <p>These times will be extended under conditions of low temperature and/or of high humidity.</p>
<b>Cleaning</b>	Application equipment should be cleaned with water immediately after use.
<b>Coverage</b>	Approximately 40m <sup>2</sup> per 5Lts dependent upon the size, orientation and surface quality of the substrate.
<b>System Guidelines</b>	<p>Morrells recommends the following guidance for use of this product range:</p> <p><b>Typical Application:</b> 1 coat at 130 - 150 mls/m<sup>2</sup> (Dry Film Thickness ~ 42µ), when dry this should be overcoated <b>without</b> sanding/denibbing with Morrells Induro XL1 or Induro XL2 Waterborne Flooring Lacquers</p> <p>Using these products in systems outside these guidelines can lead to immediate and latent problems with the integrity of the finish.</p>



Morrells Woodfinishes Ltd. Wellington Works, Mill Lane, Woodley, Stockport, Cheshire. SK6 1RN  
Tel: 08705 60 61 62 Fax: 08705 604 604 Email: enquiries@morrells.co.uk Web: www.morrells.co.uk

Registered Office: Morrells Woodfinishes Limited. Company no. 785935 VAT. Reg No GB 712 5048 66



<p><b>Important Information</b></p>	<ul style="list-style-type: none"> <li>➤ Do not use in areas of high humidity or condensation.</li> <li>➤ Only Morrells standard range of LF stains are recommended under XL ranges.</li> <li>➤ Leave adequate time before overcoating. Do not sand/de-nib before applying topcoat lacquer.</li> <li>➤ Excessive coating weights can lead to cracking or lifting.</li> <li>➤ Do not overcoat with solvent borne products.</li> <li>➤ Avoid contact with iron, copper, zinc, aluminum and platinum as these can attack the aqueous polymer.</li> <li>➤ Waterborne products should have nominated finishing equipment.</li> <li>➤ When coating darker timbers, such as walnut, mahogany or teak, slight bleaching may occur.</li> <li>➤ Product should be stored above 5°C and protected from frost.</li> <li>➤ Optimum application is achieved between 18°C and 22°C with good air movement and ventilation.</li> <li>➤ Finished products should not be subjected to environments with temperatures of &lt; 2°C.</li> <li>➤ In scope of 2004/42/EC.</li> </ul>
<p><b>Health &amp; Safety</b></p>	<p>Reference should be made to the appropriate MSDS for this product range, which can be found at <a href="http://www.morrells.co.uk">www.morrells.co.uk</a></p> <p>The use of appropriate personal protection equipment (PPE) is recommended.</p> <p>These products are intended for <b>professional use</b> only.</p>

The information provided on this information sheet is based on the best of our knowledge and experience, is given in good faith and should only be regarded as recommendations. No guarantee should be inferred and customers are advised to carry out their own tests under local conditions.

For further technical information contact our Technical Support Team on 0161 406 5300.





**SAFETY DATA SHEET  
GENERAL PURPOSE INDURO SEALER**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

**Product Name** GENERAL PURPOSE INDURO SEALER  
**Product No.** 8GP/304

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Industrial wood coating.

**1.3. Details of the supplier of the safety data sheet**

**Supplier:** Morrells Woodfinishes Ltd  
Wellington Works  
Mill Lane, Woodley  
Stockport  
England  
SK6 1RN  
0161 406 5300  
0161 406 6276  
enquiries@morrells.co.uk

**1.4. Emergency telephone number**

0161 406 5300 DURING OFFICE HOURS

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

Physical	Not classified.
Health	Not classified.
Environmental	Not classified.

**Classification (1999/45)** Not classified.

**2.2. Label elements**

**2.3. Other hazards**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

**SECTION 4: FIRST AID MEASURES**

**4.1. Description of first aid measures**

**Inhalation.**

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

**Ingestion**

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

**Skin Contact**

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

**Eye Contact**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

# GENERAL PURPOSE INDURO SEALER

## 4.2. Most important symptoms and effects, both acute and delayed

## 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

##### Extinguishing Media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

#### 5.2. Special hazards arising from the substance or mixture

#### 5.3. Advice for firefighters

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.2. Environmental precautions

#### 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

#### 6.4. Reference to other sections

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

#### 7.3. Specific end use(s)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### 8.2. Exposure controls

##### Protective Equipment



##### Engineering Measures

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of vapours.

##### Respiratory Equipment

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

##### Hand Protection

Use suitable protective gloves if risk of skin contact.

##### Eye Protection

If risk of splashing, wear safety goggles or face shield.

##### Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

##### Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# GENERAL PURPOSE INDURO SEALER

## 9.1. Information on basic physical and chemical properties

Appearance                                Liquid

## 9.2. Other information

Volatile Organic Compound (VOC)    77 g/litre

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

Stable under normal temperature conditions.

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### **Inhalation**

In high concentrations, vapours may irritate throat and respiratory system and cause coughing.

#### **Ingestion.**

May cause discomfort if swallowed.

#### **Skin Contact**

Liquid may irritate skin.

#### **Eye Contact**

Spray and vapour in the eyes may cause irritation and smarting.

## SECTION 12: ECOLOGICAL INFORMATION

#### **Ecotoxicity:**

Not regarded as dangerous for the environment.

### 12.1. Toxicity

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

## SECTION 14: TRANSPORT INFORMATION

Road Transport Notes                    Not Classified

Rail Transport Notes                    Not classified.

Sea Transport Notes                    Not classified.

Air Transport Notes                    Not classified.

### 14.1. UN number

### 14.2 UN Proper Shipping Name

# GENERAL PURPOSE INDURO SEALER

## 14.3 Transport hazard class(es)

## 14.4. Packing group

## 14.5. Environmental hazards

## 14.6. Special precautions for user

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

### SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### **Statutory Instruments**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

##### **Approved Code Of Practice**

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

##### **Guidance Notes**

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

#### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

### SECTION 16: OTHER INFORMATION

Revision Date 22/02/2016

Revision 2

Supersedes Date 19/12/2011

Risk Phrases In Full

Hazard Statements In Full

**SAFETY DATA SHEET**  
**ANTI EDGE BOND SEALER**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

**Product Name** ANTI EDGE BOND SEALER  
**Product No.** 8EB/154

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Industrial wood coating.

**1.3. Details of the supplier of the safety data sheet**

**Supplier:** Morrells Woodfinishes Ltd  
Wellington Works  
Mill Lane, Woodley  
Stockport  
England  
SK6 1RN  
0161 406 5300  
0161 406 6276  
enquiries@morrells.co.uk

**1.4. Emergency telephone number**

0161 406 5300 DURING OFFICE HOURS

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

Physical	Not classified.
Health	Not classified.
Environmental	Not classified.

**Classification (1999/45)** Not classified.

**2.2. Label elements**

**2.3. Other hazards**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

**SECTION 4: FIRST AID MEASURES**

**4.1. Description of first aid measures**

**Inhalation.**

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

**Ingestion**

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

**Skin Contact**

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

**Eye Contact**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

**4.2. Most important symptoms and effects, both acute and delayed**



# ANTI EDGE BOND SEALER

## 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

##### Extinguishing Media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

#### 5.2. Special hazards arising from the substance or mixture

#### 5.3. Advice for firefighters

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.2. Environmental precautions

#### 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

#### 6.4. Reference to other sections

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

#### 7.3. Specific end use(s)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### 8.2. Exposure controls

##### Protective Equipment



##### Engineering Measures

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of vapours.

##### Respiratory Equipment

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

##### Hand Protection

Use suitable protective gloves if risk of skin contact.

##### Eye Protection

If risk of splashing, wear safety goggles or face shield.

##### Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

##### Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

##### Appearance

Liquid

# ANTI EDGE BOND SEALER

## 9.2. Other information

Volatile Organic Compound (VOC) 38 g/litre

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

Stable under normal temperature conditions.

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Inhalation

In high concentrations, vapours may irritate throat and respiratory system and cause coughing.

#### Ingestion.

May cause discomfort if swallowed.

#### Skin Contact

Liquid may irritate skin.

#### Eye Contact

Spray and vapour in the eyes may cause irritation and smarting.

## SECTION 12: ECOLOGICAL INFORMATION

#### Ecotoxicity:

Not regarded as dangerous for the environment.

### 12.1. Toxicity

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

## SECTION 14: TRANSPORT INFORMATION

Road Transport Notes	Not Classified
Rail Transport Notes	Not classified.
Sea Transport Notes	Not classified.
Air Transport Notes	Not classified.

### 14.1. UN number

### 14.2 UN Proper Shipping Name

### 14.3 Transport hazard class(es)

# ANTI EDGE BOND SEALER

## 14.4. Packing group

## 14.5. Environmental hazards

## 14.6. Special precautions for user

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

### SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### **Statutory Instruments**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

##### **Approved Code Of Practice**

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

##### **Guidance Notes**

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

#### 15.2. Chemical Safety Assessment

### SECTION 16: OTHER INFORMATION

Revision Date 19/12/2011

Revision 1

Risk Phrases In Full

Hazard Statements In Full