

The following Safety Datasheet is provided by Osmo

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit: Osmo Maintenance Oil Page 1/9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2013

Version number 3

Revision: 16.12.2013

1.1 Product identifier	
Trade name:	Osmo Maintenance Oil
Article number:	3079, 3081, 3098
1.2 Relevant identified uses of substance or mixture and use	
advised against	No further relevant information available.
Application of the substance	/ the
preparation	Maintenance product
	Coating compound/ Surface coating/ paint
1.3 Details of the supplier of t	the safety data sheet
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG
	Affhüppen Esch 12
	D-48231 Warendorf
Further information obtainal	ble
from:	Product safety department
	Phone: +49 (0) 251 / 692 - 188
	Fax: +49 (0) 251 / 692 - 462
	e-mail: helmut.starp@osmo.de
1.4 Emergency telephone	
number:	emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in Germ
	and English

## SECTION 2: Hazards identification

Regulation (EC) No 1272/2008	The product is not classified according to the CLP regulation.
Classification according to	
Directive 67/548/EEC or Directi	ve
1999/45/EC	Not applicable.
Information concerning	
particular hazards for human ar	nd la
environment:	The product has to be labelled due to the calculation procedure of the "Gener
	Classification guideline for preparations of the EU" in the latest valid version.
Classification system:	The classification is according to the latest editions of the EU-lists and extended l
	company and literature data.
2.2 Label elements	
Labelling according to Regulation	on and a second s
(EC) No 1272/2008	Void
Hazard pictograms	Void
Signal word	Void
Hazard statements	Void



Printing date 16.12.2013

Version number 3

Revision: 16.12.2013

## Trade name: Osmo Maintenance Oil

	(Contd. of page 1)
Precautionary statements	P101 If medical advice is needed, have product container or label at hand.
	P102 Keep out of reach of children.
	P262 Do not get in eyes, on skin, or on clothing.
	P271 Use only outdoors or in a well-ventilated area.
	P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.
Additional information:	Observe the general safety regulations when handling chemicals.
-	Contains 2-butanonoxime. May produce an allergic reaction.
	Safety data sheet available on request.
2.3 Other hazards	
Results of PBT and vPvB asse	essment
PBT:	Not applicable.
vPvB:	Not applicable.

#### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** 

Mixture of substances listed below with nonhazardous additions.

CAS: 64742-47-8	aliphatic hydrocarbons, C13-C18	25-50%
EC number: 921-050-8	Xn R65	
Index number: 649-422-00-2	R66	
Reg.nr.: 01-2119485032-45	🚯 Asp. Tox. 1, H304	
CAS: 64742-48-9	aliphatic hydrocarbons, C10-C13	25-50%
Index number: 649-327-00-6	Xn R65	
Reg.nr.: 01-2119457273-39	R66	
	🚯 Asp. Tox. 1, H304	
CAS: 34590-94-8	(2-methoxymethylethoxy)propanol	≤ 2.5%
EINECS: 252-104-2	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119450011-60		
Additional information:	For the wording of the listed risk phrases refer to section 16.	

## **SECTION 4:** First aid measures

#### 4.1 Description of first aid measures

General information:	Immediately remove any clothing soiled by the product.
	Take affected persons out into the fresh air.
After inhalation:	Supply fresh air; consult doctor in case of complaints.
	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult
	doctor if symptoms persist.
	In case of unconsciousness place patient stably in side position for transportation.
After skin contact:	If skin irritation continues, consult a doctor.
	Immediately wash with water and soap and rinse thoroughly.
	(Contdon name 2)



Printing date 16.12.2013

Version number 3

Revision: 16.12.2013

GB

## Trade name: Osmo Maintenance Oil

	(Contd. of page 2)
After eye contact:	Rinse opened eye for several minutes under running water.
After swallowing:	If swallowed, seek medical advice immediately and show this container or label.
	Do not induce vomiting; call for medical help immediately.
4.2 Most important symptoms and	1
effects, both acute and delayed	No further relevant information available.
4.3 Indication of any immediate	
medical attention and special	
treatment needed	No further relevant information available.

## SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents:	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters	No further relevant information available.
Protective equipment:	No special measures required.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and	
emergency procedures	Keep away from ignition sources.
	Ensure adequate ventilation
6.2 Environmental precautions:	Inform respective authorities in case of seepage into water course or sewage system.
	Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for	
containment and cleaning up:	Warm water and cleansing agent
	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
6.4 Reference to other sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.

## SECTION 7: Handling and storage

7.1 Precautions for safe handling	Prevent formation of aerosols.	
	Keep away from heat and direct sunlight.	
	Keep receptacles tightly sealed.	
	Use only in well ventilated areas.	
Information about fire - and		
explosion protection:	Keep ignition sources away - Do not smoke.	
		(Contd. on page 4)



Printing date 16.12.2013

Version number 3

Revision: 16.12.2013

#### Trade name: Osmo Maintenance Oil (Contd. of page 3) 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in the original receptacle. Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Do not store together with oxidizing and acidic materials. Further information about Keep container tightly sealed. storage conditions: Store in cool, dry conditions in well sealed receptacles. No further relevant information available. 7.3 Specific end use(s) **SECTION 8: Exposure controls/personal protection** Additional information about design of technical facilities: No further data; see item 7. 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 64742-48-9 aliphatic hydrocarbons, C10-C13 TWA (8 H) Long-term value: 1.000 mg/m<sup>3</sup>, 150 ppm ppm Source: UK SIA 34590-94-8 (2-methoxymethylethoxy)propanol WEL Long-term value: 308 mg/m<sup>3</sup>, 50 ppm Sk Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic Keep away from foodstuffs, beverages and feed. measures: Immediately remove all soiled and contaminated clothing Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not carry product impregnated cleaning cloths in trouser pockets. **Respiratory protection:** Use suitable respiratory protective device only when aerosol or mist is formed. Not necessary if room is well-ventilated. Protection of hands: Protective gloves and protective skin cream The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

To avoid skin problems reduce the wearing of gloves to the required minimum.

Page 5/9



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2013

Version number 3

Revision: 16.12.2013

de name: Osmo Maintena	nce Oil
Material of gloves	(Contd. of pag The selection of the suitable gloves does not only depend on the material, but also
	further marks of quality and varies from manufacturer to manufacturer. As the prod
	is a preparation of several substances, the resistance of the glove material can not
	calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove materia	<i>I</i> The exact break trough time has to be found out by the manufacturer of the protect
	gloves and has to be observed.
For the permanent contact glove	s
made of the following materials	
are suitable:	Nitrile rubber, NBR
Eye protection:	Goggles recommended during refilling
Body protection:	Protective work clothing
SECTION 9: Physical and	chemical properties
9.1 Information on basic physica	l and chemical properties
General Information	
Appearance:	
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	>60 °C °C (DIN 53213)
Ignition temperature:	210 °C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Density at 20 °C:	0.85-0.95 g/cm <sup>3</sup> (DIN 51757)
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Viscosity:	
Viscosity: Kinematic at 20 °C:	40-60 s (DIN 53211/4)

- GB -



Printing date 16.12.2013

Version number 3

Revision: 16.12.2013

(Contd. of page 5)

## Trade name: Osmo Maintenance Oil

## SECTION 10: Stability and reactivity

10.1 Reactivity	
10.2 Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous	
reactions	Reacts with fabric soaked in the product (e.g. cleaning wool).
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous decomposition	
products:	Carbon monoxide and carbon dioxide
	Nitrogen oxides (NOx)
Additional information:	Warring
	Warning:
	Wash out any used cloth impregnated with this product immediately after use or store
	in an airtight container (danger of self-ignition)

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects Acute toxicity:

LD/LC50 values relevant for classification:		
64742-47-8 aliphatic hydrocarbons, C13-C18		
Oral	LD50	> 10000 mg/kg (rat)
Dermal	LD50	> 3000 mg/kg (rabbit)
Inhalative	LC50 / 4h	> 6200 mg/l (rat)
64742-48-	9 aliphatic	hydrocarbons, C10-C13
Oral	LD50	> 5000 mg/kg (rat) (OECD 401)
Dermal	LD50	> 5000 mg/kg (rat) (OECD 402)
Inhalative	LC50 / 4h	> 5 mg/l (rat) (OECD 403)
Primary in	ritant effec	<i>t:</i>
on the ski	n:	No irritant effect.
on the eye	:	No irritating effect.
Sensitizati	on:	Sensitizing effect by skin contact is possible by prolonged exposure.
Additional	l toxicologi	cal
informatio	on:	The product is not subject to classification according to the calculation method of the
		General EU Classification Guidelines for Preparations as issued in the latest version.
Sensitisati	on	Contains 2-butanonoxime. May produce an allergic reaction.
		(Contd. on page 7)



Printing date 16.12.2013

Version number 3

Revision: 16.12.2013

	6				
Trade name: Osmo Maintenance Oil					
		(Contd. of page 6)			
	SECTION 12: Ecological information				
	12.1 Toxicity				
	Aquatic toxicity:				
	64742-47-8 aliphatic hydrocarl	bons, C13-C18			
	LC50 / 96h 2.9 mg/l (Oncorhyno	chus mykiss (Regenbogenforelle))			
	64742-48-9 aliphatic hydrocarbons, C10-C13				
	EC50 / 48h > 1000 mg/l (daphn	ia) (OECD 202)			
	EC50/72h > 1000 mg/l (algae) (OECD 201)				
	LC50 / 96h > 1000 mg/l (fish) (OECD 203)				
L	12.2 Persistence and degradability No further relevant information available.				
	12.3 Bioaccumulative potential				
	64742-47-8 aliphatic hydrocarbons, C13-C18				
	log POW 7-8.7 (-)				
	12.4 Mobility in soil	No further relevant information available.			
	Additional ecological information	o <b>n:</b>			
	General notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for			
		water			
	12.5 Results of PBT and vPvB a PBT:				
	rbi; vPvB:	Not applicable. Not applicable.			
	vг vb: 12.6 Other adverse effects	Not applicable. No further relevant information available.			
	SECTION 13: Disposal co	nsiderations			
	13.1 Waste treatment methods Recommendation	Must not be disposed together with household garbage. Do not allow product to reach			

# sewage system. European waste catalogue 08 01 11\* waste paint and varnish containing organic solvents or other dangerous substances 15 01 10\* packaging containing residues of or contaminated by dangerous substances Uncleaned packaging: Disposal must be made according to official regulations.

(Contd. on page 8)

GB –



Jata 16 12 2012 

1 2

vision: 16.12.2013

rade name: Osmo Maintenance Oil		
		(Contd. o
SECTION 14: Transport informat	tion	
14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Anne	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	-	

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations: Not applicable. VOC (EC) 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases	H304 May be fatal if swallowed and enters airways.		
	R65 Harmful: may cause lung damage if swallowed.		
	R66 Repeated exposure may cause skin dryness or cracking.		
Department issuing MSDS:	product safety department		
Contact:	Hr. Dr. Starp		
Abbreviations and acronyms:	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association		

(Contd. on page 9)



Printing date 16.12.2013

Version number 3

Revision: 16.12.2013

## Trade name: Osmo Maintenance Oil

(Contd. of page 8) GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

\* Data compared to the previous version altered.