



**WOOD
FINISHES
DIRECT**



Finish. Finished.

The following Product Datasheet is provided by **Osmo**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:

[Osmo Polymer Composite Cleaner 8021](#)




POLYMER COMPOSITE CLEANER

Especially developed for composite decking!



8021 Clear



PRODUCT DESCRIPTION

Highly effective, lightly alkaline specialized cleaner for removing exterior organic and inorganic dirt and stains. Ideal for the intensive cleaning of WPC/BPC decking and all other exterior wood-polymer composites.

RECOMMENDED USE

Osmo Polymer Composite Cleaner was especially developed to clean WPC and BPC decking and other waterproof exterior surfaces, e.g. garden furniture and fencing made of plastic.

INGREDIENTS

Alkaline basic cleaner: <5% cationic tensides; non-ionic tensides; silicates; complexing agents; NTA and additives.

Detailed declaration of ingredients available upon request.

TECHNICAL DATA

Specific gravity: 1.05-1.10 g/cm³

Viscosity: 20-25s DIN 53211/3 mm

Odour: faint/mild, after drying odourless

pH value (10g/l): 10.9

STORAGE

Up to 2 years and longer if container is kept dry, closed tightly and stored at temperatures between 5 and 35°C. Do not expose to frost during transport!

SURFACE PREPARATION

Remove coarse dust and loose dirt from the surface with a firm broom/hand broom.

Dilute concentrate from 1:10 to 1:20 with water. A trial application is absolutely necessary!

METHOD OF APPLICATION

Apply cleaning solution to the dirty surface, loosen dirt with a scrubber and allow solution to react for 10 minutes. Afterwards rinse thoroughly with clear water.

For mechanical processing on decking, we recommend using the Osmo Decking and Flooring Cleaning Machine.

Always use on the complete area! Do not use directly!

CLEANING OF TOOLS

Immediately after use, with soap and water.

COVERAGE

1 litre covers approx. 10-50 m² for one application (depending on the amount of dirt and stains).

NOTE

Do not use undiluted. Osmo Polymer Composite Cleaner can lead to discolourations or surface changes on unfamiliar substrates. If all possible, use on the complete area. Avoid allowing the solution to dry. Not suitable for everyday cleaning and maintenance. Avoid direct contact with ornamental and farm plants.



CAUTION

Contains: Disodium metasilicate. Causes skin irritation. Causes serious eye damage. Reacts with acids with evolution of heat. Risk of splashing! The general safety regulations when handling chemicals must be observed.

Keep out of reach of children. Read label before use. Wear protective gloves/eye protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If on skin: Wash with plenty of soap and water. If medical advice is needed, have product container or label at hand.

Please considerate the common security precautions for dealing with chemicals.

Danger



DISPOSAL

Dispose of leftover product and completely emptied packaging according to local official guidelines (waste code number 08 01 11). Only completely emptied cans can be recycled.

COLOUR TONES

8021 Clear

CAN SIZES

1 L; 5 L

The above mentioned information is provided to the best of our knowledge however without any liability.

Version 06/15