

The following Safety Datasheet is provided by Osmo

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit: Osmo Top Oil Surface Kit Page 1/9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2015

Version number 14

Revision: 23.03.2015

1.1 Product identifier	
Trade name:	Osmo TopOil
Article number:	3028, 3058, 3061, 3068
1.2 Relevant identified uses of substance or mixture and use	•
advised against	No further relevant information available.
Application of the substance	/ the
mixture	Coating compound/ Surface coating/ paint
	Paint
1.3 Details of the supplier of	the safety data sheet
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG
	Affhüppen Esch 12
	D-48231 Warendorf
Further information obtainal	ble
from:	Product safety department
	Phone: +49 (0) 251 / 692 - 188
	Fax: +49 (0) 251 / 692 - 462
	e-mail: helmut.starp@osmo.de
1.4 Emergency telephone	
number:	emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in Germa and English

SECTION 2: Hazards identification

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Information concerning particular hazards for human and environment: Classification system:	Not applicable.
1999/45/EC Information concerning particular hazards for human and environment: Classification system:	Not applicable.
Information concerning particular hazards for human and environment: Classification system:	<i>d</i> The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
particular hazards for human and environment: Classification system:	The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
environment: Classification system:	The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
Classification system:	"General Classification guideline for preparations of the EU" in the latest valid version.
	• • •
	The classification is according to the latest editions of the EU-lists and extended by
	company and literature data.
2.2 Label elements	
Labelling according to Regulation	n
(EC) No 1272/2008	Void
Hazard pictograms	Void
Signal word	Void
Hazard statements	Void

Printing date 23.03.2015



Revision: 23.03.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 14

ade name: Osmo TopOil				
		(Contd. of page 1)		
Precautionary statements	Although this product is not sub	ject to identification regulations, we recommend that		
	the safety suggestions are observe	ed.		
	Keep out of reach of children.			
	-	product container or label at hand.		
	P271 Use only outdoors or in a w			
	P262 Do not get in eyes, on skin,			
	c .	tainer in accordance with local/regional/national/		
	international regulations.	C		
Additional information:	Observe the general safety regula	tions when handling chemicals.		
	Always wear a dust mask when sa	-		
	Contains 2-butanonoxime. May p			
2.3 Other hazards				
Results of PBT and vPvB assess	sment			
PBT:	Not applicable.			
vPvB:	Not applicable.			
SECTION 3: Composition	/information on ingredients			
3.2 Mixtures				
Description:	Mixture of substances listed belo	w with nonhazardous additions.		
Dangerous components:				
	abotic budge carbons C10 C12	V. D(5 25 500/		
	phatic hydrocarbons, C10-C13	Xn R65 25-50%		
EC number: 918-481-9		R 66		
Index number: 649-327-00-6		🐼 Asp. Tox. 1, H304		
Reg.nr.: 01-2119457273-39				
Additional information:	For the wording of the listed risk	phrases refer to section 16.		
SECTION 4: First aid med	asures			
4.1 Description of first aid meas		Contraction		
General information:	Take affected persons out into the			
	Immediately remove any clothing	• •		
After inhalation:		Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult		
	doctor if symptoms persist.			
		patient stably in side position for transportation.		
After skin contact:	Immediately wash with water and	l soap and rinse thoroughly.		
After skin contact:		l soap and rinse thoroughly.		
After skin contact: After eye contact:	Immediately wash with water and If skin irritation continues, consu	l soap and rinse thoroughly.		
	Immediately wash with water and If skin irritation continues, consu Rinse opened eye for several min	I soap and rinse thoroughly. It a doctor.		
After eye contact:	Immediately wash with water and If skin irritation continues, consu Rinse opened eye for several min If swallowed, seek medical advic	I soap and rinse thoroughly. It a doctor. uutes under running water. Then consult a doctor.		
After eye contact: After swallowing:	Immediately wash with water and If skin irritation continues, consu Rinse opened eye for several min If swallowed, seek medical advic	I soap and rinse thoroughly. It a doctor. nutes under running water. Then consult a doctor. e immediately and show this container or label.		

Page 3/9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2015

Version number 14

Revision: 23.03.2015

Trade name: Osmo TopOil (Contd. of page 2) 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures** 5.1 Extinguishing media CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant Suitable extinguishing agents: foam. For safety reasons unsuitable Water with full jet extinguishing agents: 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters **Protective equipment:** Mouth respiratory protective device. Additional information Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. **SECTION 6:** Accidental release measures 6.1 Personal precautions, protective equipment and Ensure adequate ventilation emergency procedures

enter gentej procedures	Zhoure adequate ventilation
	Keep away from ignition sources.
6.2 Environmental precautions:	Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for	
containment and cleaning up:	Warm water and cleansing agent
	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
6.4 Reference to other sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	g Keep away from heat and direct sunlight.	
	Use only in well ventilated areas.	
	Keep receptacles tightly sealed.	
	Prevent formation of aerosols.	
Information about fire - and explosion protection:	Keep ignition sources away - Do not smoke.	
	Keep ignition sources away - Do not smoke.	(Contd. on page 4)

.,



Printing date 23.03.2015

Version number 14

Revision: 23.03.2015

Trade name: Osmo TopOil

		(Contd. of page 3)
7.2 Conditions for safe storage,	including any incompatibilities	
Storage:		
Requirements to be met by		
storerooms and receptacles:	Store only in the original receptacle.	
	Store in a cool location.	
Information about storage in on	e	
common storage facility:	Do not store together with alkalis (caustic solutions).	
	Do not store together with oxidising and acidic materials.	
Further information about		
storage conditions:	Store in cool, dry conditions in well sealed receptacles.	
	Keep container tightly sealed.	
7.3 Specific end use(s)	No further relevant information available.	

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities:

cilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values	that require monitoring at the workplace:
64742-48-9 aliphatic hydroc	arbons, C10-C13
TWA (8 H) Long-term value:	1.000 mg/m ³ , 150 ppm ppm
Source: UK SIA	
Additional information:	The lists valid during the making were used as basis.
8.2 Exposure controls	
Personal protective equipment	nt:
General protective and hygien	nic
measures:	Immediately remove all soiled and contaminated clothing
	Keep away from foodstuffs, beverages and feed.
	Avoid contact with the eyes and skin.
	Do not eat, drink, smoke or sniff while working.
	Do not carry product impregnated cleaning cloths in trouser pockets.
Respiratory protection:	Not necessary if room is well-ventilated.
	Use suitable respiratory protective device only when aerosol or mist is formed.
	Short term filter device:
	Gas filter EN 14387 Type A (organic gas / vapor (boiling point > 65 °C)).
Protection of hands:	Protective gloves
	The glove material has to be impermeable and resistant to the product/ the substance
	the preparation.
	Selection of the glove material on consideration of the penetration times, rates of
	diffusion and the degradation
	To avoid skin problems reduce the wearing of gloves to the required minimum.
Material of gloves	Nitrile rubber, NBR
	(Contd. on page 5

Page 5/9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2015 Version number 14 Revision: 23.03.2015 Trade name: Osmo TopOil (Contd. of page 4) Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. For the permanent contact gloves made of the following materials Nitrile rubber, NBR are suitable: For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6). For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Nitrile rubber, NBR As protection from splashes gloves made of the following materials are suitable: Recommended thickness of the material: ≥ 0.1 mm Goggles recommended during refilling Eye protection: Protective work clothing **Body protection: SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties **General Information** Appearance: Form: Viscous According to product specification Colour: Mild **Odour:** Change in condition Melting point/Melting range: Undetermined. >180 °C (DIN 51751) **Boiling point/Boiling range:** Flash point: > 61 °C (DIN EN ISO 2719) 240 °C Ignition temperature: Self-igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. **Explosion limits:** Lower: 0.6 Vol % 7.0 Vol % Upper: Density at 20 °C: 0.92-0.98 g/cm3 (DIN 51757) Solubility in / Miscibility with Not miscible or difficult to mix. water:

(Contd. on page 6)

⁻ GB



Printing date 23.03.2015

Inhalative |LC50 / 4h| > 5 mg/l (rat) (OECD 403)

3700 mg/kg (rat)

200-2000 mg/kg (rat)

96-29-7 2-butanonoxime LD50

LD50

Inhalative LC50 / 4h >10.5 mg/l (rat)

Oral

Dermal

Version number 14

Revision: 23.03.2015

de name: Osmo '		
		(Contd. of pa
Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 $^\circ$	40-70 s (DIN EN ISO 2431/4 mm)	
Solvent content:		
VOC (EC)	Not applicable.	
9.2 Other informati	No further relevant information available.	
SECTION 10: 5	vility and reactivity	
10.1 Reactivity		
10.2 Chemical stab		
Thermal decompos		
conditions to be ave		
10.3 Possibility of h		
reactions	Reacts with fabric soaked in the product (e.g. cleaning wool).	
10.4 Conditions to a		
10.5 Incompatible		
10.6 Hazardous dec		
products:	Carbon monoxide and carbon dioxide	
	Nitrogen oxides (NOx)	
Additional informa		
	Wash out any used cloth impregnated with this product immedia	telv after use or
	in an airtight container (danger of self-ignition)	
SECTION 11. 7	icological information	
SECTION II. I	cological injoi mation	
11.1 Information of	xicological effects	
Acute toxicity:		
LD/LC50 values re	nt for classification:	
64742-48-9 aliphat	ydrocarbons, C10-C13	
Oral LD50	> 5000 mg/kg (rat) (OECD 401)	



Printing date 23.03.2015

Version number 14

Revision: 23.03.2015

Trade name: Osmo TopOil

	(Contd. of page 6)
Primary irritant effect:	
on the skin:	At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.
on the eye:	Irritating effect.
Sensitisation:	Sensitising effect by skin contact is possible by prolonged exposure.
Additional toxicological	
information:	The product is not subject to classification according to the calculation method of the
	General EU Classification Guidelines for Preparations as issued in the latest version.
	When used and handled according to specifications, the product does not have any
	harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

12.1 Toxicity	
Aquatic toxicity:	
64742-48-9 aliphatic hydrocarbo	ons, C10-C13
EC50 / 48h > 1000 mg/l (daphnia) (OECD 202)
EC50/72h > 1000 mg/l (algae) (OECD 201)
LC50 / 96h > 1000 mg/l (fish) (O	ECD 203)
96-29-7 2-butanonoxime	
EC50 / 48h 201 mg/l (daphnia)	
IC50 / 72h 11.8 mg/l (algae)	
12.2 Persistence and degradabilit	y No further relevant information available.
12.3 Bioaccumulative potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
Additional ecological information	1:
General notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
	Do not allow product to reach ground water, water course or sewage system.
12.5 Results of PBT and vPvB as	
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Other adverse effects	No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Reco	ommen	datio	n	

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

GB



Printing date 23.03.2015

Version number 14

Revision: 23.03.2015

	(Contd. of p
European waste catalogue	
08 01 11 waste paint and varnish contain	ing organic solvents or other dangerous substances
15 01 10 packaging containing residues of	of or contaminated by dangerous substances
Uncleaned packaging:	
-	osal must be made according to official regulations.
Recommended cleansing agents: Solve	ent naphtha
SECTION 14: Transport informa	ttion
14.1 UN-Number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Ann	uex II of
MARPOL73/78 and the IBC Code	Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:GISBAU-CodeGISCODE: Ö6015.2 Chemical safety assessment:A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

⁻ GB



R	304 May be fatal if swallowed and enters airways. 65 Harmful: may cause lung damage if swallowed. 66 Repeated exposure may cause skin dryness or cracking.	Contd. of pag
R	304 May be fatal if swallowed and enters airways.65 Harmful: may cause lung damage if swallowed.	(Contd. of pag
R	65 Harmful: may cause lung damage if swallowed.	
Department issuing MSDS: pr	roduct safety department	
Contact: H	r. Dr. Starp	
co IN IA GI EI EI C/	 DR: Accord européen sur le transport des marchandises dangereuses par Route (Europecenting the International Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods ITA: International Air Transport Association HS: Globally Harmonised System of Classification and Labelling of Chemicals INECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) OC: Volatile Organic Compounds (USA, EU) 	opean Agreen
	C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent	
	sp. Tox. 1: Aspiration hazard, Hazard Category 1	
* Data compared to the previous		
version altered.		