



# WOOD FINISHES DIRECT

The following Safety Datasheet is provided by **Kling Strip**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:

[Solvistrip](#)

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

### 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1** Product identifier  
 Product Name SOLVISTRIP  
 CAS No. Not applicable.  
 EC No. Not applicable.  
 REACH Registration No. Not known.

**1.2** Relevant identified uses of the substance or mixture and uses advised against  
 Identified Use(s) Cleaning agent.  
 Uses Advised Against None anticipated


**1.3** Details of the supplier of the safety data sheet  
 Manufacturer  
 Company Identification Strippers Paint Removers  
 Address of Manufacturer Fishers Farm  
 Belchamp Walter  
 Sudbury  
 Suffolk  
 Postal code CO10 7AP  
 Telephone: +44 (0) 1787 371524  
 E-mail info@stripperspaintremovers.com  
 Office hours 09.00 – 17.00 (UK time)


**1.4** Emergency telephone number  
 Emergency Phone No. +44 (0) 1787 371524 (Office hours with voicemail at other times)  
 Contact No information available.  
 National response centre  
 Address National Poisons Information Service (Birmingham Centre)  
 City Hospital  
 Dudley Road,  
 Birmingham,  
 United Kingdom  
 Emergency Phone No. NHS Urgent Care Service- 111


### 2. SECTION 2: HAZARDS IDENTIFICATION

**2.1** Classification of the substance or mixture  
 Regulation (EC) No. 1272/2008 (CLP)  
 Acute Tox. 4: Harmful if inhaled.  
 Acute Tox. 4: Harmful if swallowed.  
 Eye Dam. 1: Causes serious eye damage.  
 Flam. Liq. 3: Flammable liquid and vapour.  
 Skin Corr. 1B: Causes severe skin burns and eye damage.  
 STOT SE 2: May cause damage to organs.  
 According to Regulation (EC) No. 1272/2008 (CLP)

**2.2** Label elements  
 Product Name SOLVISTRIP  
 Hazard Pictogram(s)

  
 GHS02

  
 GHS05

  
 GHS07

Signal Word(s) Danger  
 Hazard Statement(s)  
 H226: Flammable liquid and vapour.  
 H302: Harmful if swallowed.  
 H314: Causes severe skin burns and eye damage.  
 H332: Harmful if inhaled.  
 H371: May cause damage to organs.  
 EUH210: Safety data sheet available on request.  
 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P403+P235: Store in a well-ventilated place. Keep cool.  
 P501: Dispose of contents in accordance with local or national legislation.

**2.3** Other hazards None known.  
**2.4** Additional Information For full text of H/P Statements see section 16.

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1** Substances Not applicable.  
**3.2** Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Benzyl alcohol	100-51-6	202-859-9	30 - 35	Acute Tox. 4 H302 Acute Tox. 4 H332	GHS07
Heptan-2-one methyl amyl ketone	110-43-0	203-767-1	15 - 20	Flam. Liq. 3 H226 Acute Tox. 4 H302	GHS02 GHS07

# STRIPPERS

## PAINT REMOVERS

### SAFETY DATA SHEET

16-07-2016

				Acute Tox. 4 H332	
Formic acid ... %	64-18-6	200-579-1	10 - 15	Skin Corr. 1A H314	GHS05
Methanol	67-56-1	200-659-6	5 - 10	Flam. Liq. 2 H225 Acute Tox. 3 H301 Acute Tox. 3 H311 Acute Tox. 3 H331 STOT SE 1 H370	GHS02 GHS06 GHS08

#### 4. SECTION 4: FIRST AID MEASURES

##### 4.1 Description of first aid measures

Inhalation	Immediately call a POISON CENTRE/doctor.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTRE/doctor.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

##### 4.2 Most important symptoms and effects, both acute and delayed

Causes burns.

##### 4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Immediately call a POISON CENTRE/doctor. Treat symptomatically.

#### 5. SECTION 5: FIREFIGHTING MEASURES

##### 5.1 Extinguishing media

Suitable Extinguishing media	In case of fire, use: Foam, CO2 or dry powder.
Unsuitable extinguishing media	Water jet spray

##### 5.2 Special hazards arising from the substance or mixture

Flammable liquid and vapour. Combustion or thermal decomposition will evolve toxic and irritant vapours.

##### 5.3 Advice for fire fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

#### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

##### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Wear suitable protective clothing, gloves and eye/face protection.

##### 6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

##### 6.3 Methods and material for containment and cleaning

Adsorb spillages onto sand, earth or any suitable adsorbent material. Use vacuum equipment for collecting spilt materials, where practicable. Containers must not be punctured or destroyed by burning, even when empty.

##### 6.4 Reference to other sections

See Also Section 8, 13.

#### 7. SECTION 7: HANDLING AND STORAGE

##### 7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

##### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep cool. Store locked up.

##### Storage temperature

Ambient.

##### Storage life

Stable under normal conditions.

##### Incompatible materials

None known.

##### 7.3 Specific end use(s)

Cleaning agent.

#### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

##### 8.1 Control parameters

##### 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Methanol	67-56-1	200	266	250	333	Sk
Methanol	67-56-1	200	260			IOELV, Skin
Heptan-2-one	110-43-0	50	237	100	475	Sk
Heptan-2-one	110-43-0	50	238	100	475	IOELV, Skin
Formic acid	64-18-6	5	9.6	0	0	
Formic acid	64-18-6	5	9			IOELV

##### Remark Footnote

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

IOELV IOELV: Indicative Occupational Exposure Limit Value

Skin The possibility of significant uptake through the skin.

##### 8.2 Exposure controls

##### 8.2.1. Appropriate engineering controls

Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

##### 8.2.2. Personal protection equipment

# STRIPPERS

## PAINT REMOVERS

### SAFETY DATA SHEET

16-07-2016



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards

None known.

**8.2.3. Environmental Exposure Controls**

Avoid release to the environment.

#### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

##### 9.1 Information on basic physical and chemical properties

Appearance	Liquid/Gel. Colour: Off white.
Odour	Strong.
Odour threshold	Not known.
pH	Not known.
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point (°C)	>93
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	Not known.
Relative density	Not known.
Solubility(ies)	Solubility (Water): Not known. Solubility (Other): Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Explosive properties	Not known.
Oxidising properties	Not known.
<b>9.2 Other information</b>	None.

#### 10. SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	None anticipated.
<b>10.2 Chemical Stability</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions known if used for its intended purpose.
<b>10.4 Conditions to avoid</b>	Avoid friction, sparks, or other means of ignition.
<b>10.5 Incompatible materials</b>	Not known.
<b>10.6 Hazardous decomposition products</b>	No hazardous decomposition products known.

#### 11. SECTION 11: TOXICOLOGICAL INFORMATION

##### 11.1 Information on toxicological effects

Acute toxicity - Ingestion	Harmful if swallowed. Calculated acute toxicity estimate (ATE) Calc ATE - 404.09000
Acute toxicity - Skin Contact	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 2824.72000
Acute toxicity - Inhalation	Harmful if inhaled. Calculated acute toxicity estimate (ATE) Calc ATE - 10.04000
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	May cause damage to organs.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
<b>11.2 Other information</b>	Not known.

#### 12. SECTION 12: ECOLOGICAL INFORMATION

# STRIPPERS

## PAINT REMOVERS

### SAFETY DATA SHEET

16-07-2016

#### 12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and Degradation	Not known.
12.3 Bioaccumulative potential	Not known.
12.4 Mobility in soil	Not known.
12.5 Results of PBT and vPvB assessment	Not known.
12.6 Other adverse effects	Not known.

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Dispose of contents in accordance with local or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, re-claimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point.
13.2 Additional Information	Disposal should be in accordance with local or national legislation.

### 14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number	2810
14.2 UN proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S.
14.3 Transport hazard class(es)	
ADR/RID Class	6.1
IMDG Class	6.1
IMDG EMS	Not available.
ICAO/IATA	
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities	Y642
Packing Instructions	
Passenger and Cargo Aircraft Limited Quantities Max net Qty.	2L
Passenger and Cargo Aircraft Packing Instructions	655
Passenger and Cargo Aircraft Max net Qty.	60L
Cargo Aircraft Packing Instructions	663
Cargo Aircraft Max net Qty.	220L
Special Provisions	A3 A4
Emergency Response Guidebook (ERG) Code	6L
ADR Classification Code	T1
ADR HIN	60
ADR Transport Category	2
Tunnel Restriction Code	E
Emergency Action Code	2X
APP Advice on Additional Personal Protection (APP)	Not applicable.
14.4 Packing group	
Packing group	III
Labels	6.1
Special Provisions	274 614
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R00
Special Packing Provisions for Packages	Not applicable.
Mixed Packing Instructions for Packages	MP19
14.5 Environmental hazards	Not known.
14.6 Special precautions for user	Not known.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP1 TP28
Tank Code for Tanks	L4BH
Special Provisions for Tanks	TU15 TE19
Vehicle for Tank Carriage	AT
Special Provisions for Carriage - Packages	V12
Special Provisions for Carriage - Bulk	Not applicable.
Special Provisions for Carriage - Loading, Unloading and Handling	CV13 CV28
Special Provisions for Carriage - Operation	S9



### 15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
European Regulations- Authorisations and/or Restrictions On Use	
Candidate List of Substances of Very High Concern for Authorisation	Not listed.

# STRIPPERS

## PAINT REMOVERS

### SAFETY DATA SHEET

16-07-2016

REACH: ANNEX XIV list of substances subject to authorisation	Not listed.
REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Methanol (67-56-1)
Community Rolling Action Plan (CoRAP)	Benzyl alcohol (100-51-6), methanol (67-56-1)
Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants	Not listed.
Regulation (EC) N° 2037/2000 on substances that deplete the ozone layer	Not listed.
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed.
<b>National regulations</b>	
Other:	Not known.
<b>15.2 Chemical Safety Assessment</b>	A REACH chemical safety assessment has not been carried out.

#### 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

#### LEGEND

Hazard Pictogram(s)



GHS02

Hazard Statement(s)



GHS05

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H371: May cause damage to organs.

EUH210: Safety data sheet available on request.



GHS07

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P311: IF exposed or concerned: Call a POISON CENTRE/doctor.

P310: Immediately call a POISON CENTRE/doctor.

P312: Call a POISON CENTRE/doctor if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

P330: Rinse mouth.

P363: Wash contaminated clothing before reuse.

P370+P378: In case of fire: Use water to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents in accordance with local or national legislation.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Strippers Paint Removers gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Strippers Paint Removers accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.