

The following Technical Datasheet is provided by Woca

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit: Woca Oil Refreshing Soap Spray

Oil Refreshing Soap Revitalising natural cleaner for wood (ready to use)

Technical Data Sheet 21.06.2020 - p. 1/2

Oil Refreshing Soap is for regular cleaning and maintenance of oiled wood surfaces. Oil Refreshing Soap combines efficient cleaning with re-oiling as additional oil penetrates into the wood, forming a matt protective layer on the surface. The natural variant is used for natural oiled and colour oiled wood surfaces and the white variant for white oiled wood surfaces.

- Ensures maximum dirt and water resistance from day one
- Enhances the natural colour of the wood
- Gently cleans and maintains
- Leaves a mat protecting oil film on the wood surface
- For regular cleaning

Application area

For cleaning and maintenance of indoor wood surfaces treated with oil.

Work description

Preparation	Very dirty stains can be cleaned with WOCA Wood Stain Remover or WOCA Intensive Wood Cleaner. Always remember to test on a small area in order to check the surface and the compatibility of the product.
Treatment	Shake the spray well before use. Spray the Oil Refreshing Soap on the surface. Wipe down the surface with a cotton cloth.
Note	Use cloths with high cotton content. Don't use cloths containing microfiber only.

Drying time

Technical data

Density	1.05
pH-value	7.5-8.0
Shelf life	36M
Colours	Natural and White
Storage	Store safely, out of reach of children. Do not expose to heat (e.g. sunlight). Store frost-free.
VOC	Max: 80 g/l
Packaging	0.75 L

Maintenance and related products

Related products	Intensive Wood Cleaner, #551525A Wood Stain Remover, #551541A
Application tools	Cotton cloth

Contact

WOCA Denmark A/S Tværvej 6 DK - 6640 Lunderskov T +45 9958 5600 info@wocadenmark.com wocadenmark.com

This information is based on extensive laboratory testing and practical experience. Because the conditions under which the product is used are often beyond the control of WOCA Denmark, we can only guarantee the quality of the actual product. WOCA Denmark A/S accepts no liability for incorrect use and handling of the product. In principle, this product can be considered an intermediate product, as results depend on construction, the nature of the surface, pre-treatment, temperature, air humidity, application etc. WOCA Denmark A/S reserves the right to change the product and the stated information without notice. This label/product description replaces all previous versions.

Technical Data Sheet 21.06.2020 - p. 2/2