



# WOOD FINISHES DIRECT

The following Product Datasheet is provided by **Woca**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:  
[Woca Oil Refreshing Soap](#)



1 PREPARE 2 TREAT 3 MAINTAIN

# OIL REFRESHING SOAP



## Improves resistance

Penetrates deep into the wood. Leaves a mat protecting oil film on the wood surface. Ensures maximum dirt and water resistance from day one.



## Oil and soap solution

Cleaning and oiling in a single workflow. Cleans and maintains the wood gently. Used for refreshing on a regular basis - and NOT daily cleaning.



## Natural appearance

Refreshes the oiled surface and the natural glow of the wood. Enhances the natural colour of the wood.



## Indoor climate labelled

Ensures a good working environment during application. Does not harm indoor air quality. Free of perfume.



## PRODUCT DESCRIPTION

Oil Refreshing Soap is for regular cleaning and maintenance of oiled wood floors. The natural variant is used for natural oiled and colour oiled floors and the white variant for white oiled wood floors. Oil Refreshing Soap combines efficient cleaning with

re-oiling as additional oil penetrates into the wood, forming a mat protective layer on the surface.

## APPLICATION AREA

For cleaning and maintenance of oiled and waxed wood floors.

### Product information

Coverage: 150-200 m<sup>2</sup>/L

Packaging: 250 ml, 1 L, 2.5 L

Colours: Natural, White & Extra White





## WORK DESCRIPTION

### Preparation

Use WOCA Wood Stain Remover or WOCA Intensive Wood Cleaner for particular stubborn stains before cleaning and maintaining with Oil Refreshing Soap.

### Maintenance

Oiled wood floors can also be cleaned regularly with Natural Soap, Natural or White, and re-oiled with Maintenance Oil or Maintenance Gel at regular intervals in residential areas and often in commercial areas.

Weekly cleaning: Natural Soap

Monthly care: Oil Refreshing Soap (approx. every 4<sup>th</sup> time)

Half-yearly care: Maintenance Oil or Maintenance Gel



**CLEANING**

*For best results, use two buckets: one with soap water and the second with clean water to rinse the dirty mop.*

## TREATMENT

- 1 Shake the container well before use. Make sure the pigments are mixed well.
- 2 Mix Oil Refreshing Soap with lukewarm water:
  - For traditionally oiled floors:  
1:20 (250 ml soap into 5 L of water)
  - For UV-oiled and oil-waxed floors:  
1:40 (125 ml soap into 5 L of water).The mixture ratio can vary depending on wear.
- 3 Wipe the floor lengthwise with the soap water. It is recommended to clean an area of approx. 10 m<sup>2</sup> at a time.
- 4 Leave wood to dry for approx. 2 hours before use.
- 5 If a light shine is wanted, polish the dry floor with a white pad.